

Grape Seed Oil

Subjects: Food Science & Technology

Contributors:  Sergio Montserrat-De La Paz,  Maria Martin



Submitted by:  Sergio Montserrat-De La Paz

Definition

Grape seed extract has demonstrated many activities in disease prevention, such as antioxidant effects, which make it a potential source of nutraceuticals. Grape seed is a remarkable winery industry by-product due to the bioactivity of its constituents. Methods for recovery of oil from grape seeds have evolved to improve both the quantity and quality of the yield. Both the lipophilic and hydrophilic chemicals present in the oil of *V. vinifera* L. make this wine by-product a source of natural nutraceuticals. Food and non-food industries are becoming novel targets of oil obtained from grape seeds given its various properties.

1. Introduction: An Overview of Wine to the Past from the Present

Wine is an alcoholic beverage that has been consumed for many years. The beginning of winemaking has been dated to 5400–5000 BC in the southern Caucasus region. From here, wine grape (*Vitis vinifera* L.) growing spread to Mediterranean countries, where Greek philosophers and European healers noted the healthy benefits of wine products. Consumption of wine became regular amongst Romans, whose Empire helped to broaden winemaking in Europe. Some data also place grape use in Egypt back 6000 years. Socioreligious implications may explain the diverse implementation of wine intake and production in Christian or Islamic regions, as well as its expansion to the Americas ^{[1][2]}.

Nowadays, the winemaking industry and global consumption of wine are huge socio-economical markets ^{[3][4]}. A production of 250–300 million hectoL/year during the last two decades (Table 1) correlates with the environmental impact of this activity and the promising use of wine-derived products in other industries and medicine ^[5].

Table 1. Wine production by top 15 wine-producing countries ^[5]. Data are expressed in volume (thousands of hectoliters).

Country	2014	2015	2016	2017	2018
Italy	44,200	50,000	50,900	42,500	54,800
France	46,500	47,000	45,200	36,400	49,100
Spain	39,500	37,700	39,700	32,500	44,400
United States	23,100	21,700	23,700	23,300	23,900
Argentina	15,200	13,400	9400	11,800	14,500
Chile	9900	12,900	10,100	9500	12,900

Country	2014	2015	2016	2017	2018
Australia	11,900	11,900	13,100	13,700	12,900
Germany	9200	8800	9000	7500	9800
South Africa	11,500	11,200	10,500	10,800	9500
China	11,600	11,500	11,400	11,600	9300
Russia	4800	5600	5200	6300	6500
Portugal	6200	7000	6000	6700	6100
Romania	3700	3600	3300	4300	5100
Hungary	2400	2600	2500	3200	3600
Brazil	2600	2700	1300	3600	3100
Rest of the world	27,100	29,800	29,900	26,100	26,800
World	270,000	277,000	273,000	249,800	292,300

Wine is the result of the chemical fermentation of must or grape (*Vitis vinifera* L.) juice, carried out by yeasts that consume grape sugars and produce ethanol and CO₂. Up to 500 substances are produced through the processes of winemaking, storage, and maturation of the beverage. They are responsible for some of the characteristics and sensory features of wine. Regarding phenolic constituents, or polyphenols, also present in fruit, grains, and vegetables, data from several studies suggest that they have healthy properties [1][6][7][8]. Resveratrol, a non-flavonoid present in trace quantities, is a natural antioxidant and anti-inflammatory compound, known to play a key role in immunoregulation, metabolic syndrome, cardiovascular, neuroprotection, and cancer treatment [9][10][11][12][13][14][15][16][17][18][19][20]. It has also received attention due to its antimicrobial activity against bacterial, fungal, and viral species in vitro [21][22][23][24].

In the winemaking industry, grapes as well as grape residues (pomace or marc), including seeds and lees, are interesting products considering the health benefits of their components. By-products such as oil seeds or pomace yeasts have been reported to be natural sources of bioactive [25][26][27][28][29]. Therefore, wineries have broadened their economic and environmental impact through the use of natural bio-products.

2. Grapes, Seeds, and Seed Extracts: Natural Sources of Nutrients and Bioactive Compounds from Winemaking Industry

Grapes are one of the most consumed fruits in the world, mostly in the form of juice and wine. Over 1000

species of red and white grapes are extensively cultivated around the world, and their composition influences the wine chemistry [1]. Generally, grapes have juice, pulp, skin, seeds, and stem. Regarding chemical components, the two important layers are (Figure 1): exocarp, which includes terpenes, norisoprenoids, and thiols; and mesocarp, with organic acids and sugars.




Figure 1. Grape layers: exocarp and mesocarp. The exocarp is the outer layer of the fruit with a pulp rich in terpenes, norisoprenoids, and thiols. The mesocarp is a tissue rich in organic acids and sugars.

Berries are plentiful in sugar, whereas phenolic compounds are inexpensive sources of natural antioxidants and antimicrobial agents that are obtained from grape wastes during winemaking production [30][31][32]. Grape berry phenolics contribute to organoleptic properties of wine, though their composition depends on grape variety and harvest conditions, and even on grape maturity degree. Skin is enriched in tannins and non-flavonoid stilbenes (resveratrol), while non-flavonoid hydroxycinnamic acids are the most abundant in flesh. By contrast, seeds contain mainly flavan-3-ols and many non-flavonoids, including those mentioned in skin and flesh, with a total phenol content in seed 10 times greater than in the peel [33][34]. As a matter of fact, grape seeds and the bioactive oil from them are the main topic of this review.

Grape seeds are a relevant part (10–12%) of the solid residues created from the winemaking process [35]. However, vinification protocols may affect the type of seed obtained in this marc or pomace. Thus, white winemaking generates pomace directly, whereas red wine production includes a maceration period in alcohol prior to obtaining marc; distillation of pomace may lead to grape seed production [36][37]. As already mentioned for berries, phenols and other components of grape seeds may be of interest from a nutraceutical or health-prevention perspective; pomace extraction has been studied to improve phenols yield, with several maceration protocols being developed [38][39]. In line with this, Guaita et al. analyzed the phenolic composition of fermented and unfermented pomaces, reporting no considerable differences after processing. Bordiga et al. explored the oligosaccharides from grape marc distillation as probiotic products [40][41].

The phenols in *Vitis vinifera* L. seeds provide health benefits and proanthocyanidins, also known as condensed tannins, play a potential nutraceutical role. The antioxidant and free radical scavenging abilities of phenols have been demonstrated both in vivo and in vitro, protecting more than vitamins E or C and β-carotene [42][43][44]. Other activities—such as anti-inflammatory [45], antimicrobial [46], antiulcer [47], and anticancer—have also been reported [48][49][50]. However, the polymerization of the molecules is known to affect their bioavailability, so further research is needed to clarify the potential of tannins as a dietary supplement for humans. [51]. Tannins are rarely present in the oil obtained from *Vitis* sp. seeds, but are plentiful in polyunsaturated fatty acids, as we discuss in depth in this review. Studies regarding

whether the oil extraction method may affect the antioxidant components of grape seed oil should be undertaken [35][52].

Of grape seed extracts, antioxidant and antimicrobial activities can be noted due to their phenolic components [53][54][55]. Additionally, some evidence shows that grape seed extract may provide anti-cancer chemoprevention [56][57][58][59][60][61] and cardio-protection [62]. Hao et al., studied the possible effect regarding hypertension and vascular remodeling to prevent stroke in rats [63]. Vinson et al. tested extract components in a hamster atherosclerosis model [64]. Bijak et al., working with in vitro models, first suggested that extracts could act as a nutraceutical in the prevention of thrombosis [65]. Under ischemic conditions, neuroprotective effects, reducing brain damage, coupled with an anti-apoptotic activity and proteome preservation have been reported in animals pre-treated with grape seed extracts [66][67]. The role of grape seed extracts in attenuating inflammation and delaying the development of Alzheimer's or acting as a neuroprotection agent in Parkinson's disease have been reported [68][69]. In rats and mice, grape seed extract was suggested to improve conditions associated with metabolic syndrome [70][71][72]. Grape seed extracts are also beneficial in bone healing [73], skin disorders [74][75], and show a photoprotector activity [76]. Despite these promising results, human consumption of grape seed extract is a controversial topic and not many studies have reported clear conclusions. Only a few trials in animals or humans proved that a grape seed extract may be an efficient source of antioxidants [77][78][79].

Considering their antioxidant and antimicrobial extracts activities, phenolic-rich grape seed extracts may also be used in the food industry as natural additives to prevent microbial growth and lipid oxidation, thereby increasing product quality, safety, and shelf life [80][81].

3. Grape Seed Oil: A Novel Functional Food

The curative effects of grape seed oil have been presented in the literature since the 14th century in Spain, when an Arab doctor suggested that Ferdinand IV, King of Castile and Leon in the Iberian Peninsula, use it for the treatment of skin problems. The king decided to protect its composition and named it "royal oil" or "oil of the throne" [2]. Nowadays, recovery of oil from grape (*V. vinifera* L.) seeds is probably the main application due to the huge amount of seeds produced worldwide and because of the health benefits of grape seed oil intake in our diet, as well as its potential use in other non-food industries.

As there is more than one type of grape, the proportion of oil obtained varies with the type of grape. The proportion of oil varies between 20% obtained from sweet white grape seeds and 6% obtained from some black varieties (Figure 2) [82][83][84][85][86][87][88][89][90][91][92].




Figure 2. Oil content in grape seeds of wine varieties. Content of oil is given in grams per 100 g of dry weight of the seeds [82][83][84][85][86][87][88][89][90][91][92].

References

1. Haseeb, S.; Alexander, B.; Santi, R.L.; Liprandi, A.S.; Baranchuk, A. What's in wine? A clinician's perspective. *Trends Cardiovasc. Med.* 2019, 29, 97–106.
2. Sotiropoulou, E.I.; Varelas, V.; Liouni, M.; Nerantzis, E.T. Grape Seed Oil: From a Winery Waste to a Value Added Cosmetic Product—a Review. 2015. Available online: (accessed on 20 April 2020).
3. Baranchuk, A.; Alexander, B.; Haseeb, S. Drinking red wine is good for you—Or maybe not. *The Washington Post*. 2017. Available online: (accessed on 1 May 2018).
4. Shield, K.D.; Gmel, G.; Gmel, G.; Mäkelä, P.; Probst, C.; Room, R.; Rehm, J. Life-time risk of mortality due to different levels of alcohol consumption in seven European countries: Implications for low-risk drinking guidelines. *Addiction* 2017, 112, 1535–1544.
5. OIV: Organisation Internationale de la vigne et du vin. Global Economic Vitiviniculture Data. 2017. Available online: (accessed on 10 January 2019).
6. Stockley, C.; Teissedre, P.L.; Boban, M.; Lorenzo, C.D.; Restani, P. Bioavailability of wine-derived phenolic compounds in humans: A review. *Food Funct.* 2012, 3, 995–1007.
7. Haseeb, S.; Alexander, B.; Baranchuk, A. Wine and cardiovascular health: A comprehensive review. *Circulation* 2017, 136, 1434–1448.
8. Champ, C.E.; Kundu-Champ, A. Maximizing Polyphenol Content to Uncork the Relationship Between Wine and Cancer. *Front. Nutr.* 2019, 6, 44.
9. Gülçin, İ. Antioxidant properties of resveratrol: A structure–activity insight. *Inn. Food Sci. Emerg. Technol.* 2010, 11, 210–218.
10. Malaguarnera, L. Influence of resveratrol on the immune response. *Nutrients* 2019, 11, 946.
11. Tabrizi, R.; Tamtaji, O.R.; Lankarani, K.B.; Mirhosseini, N.; Akbari, M.; Dadgostar, E.; Peymanic, P.; Asemi, Z. The effects of resveratrol supplementation on biomarkers of inflammation and oxidative stress among patients with metabolic syndrome and related disorders: A systematic review and meta-analysis of randomized controlled trials. *Food Funct.* 2018, 9, 6116–6128.
12. Hoseini, A.; Namazi, G.; Farrokhian, A.; Reiner, Ž.; Aghadavod, E.; Bahmani, F.; Asemi, Z. The effects of resveratrol on metabolic status in patients with type 2 diabetes mellitus and coronary heart disease. *Food Funct.* 2019, 10, 6042–6051.
13. Breuss, J.M.; Atanasov, A.G.; Uhrin, P. Resveratrol and its effects on the vascular system. *Int. J. Mol. Sci.* 2019, 20, 1523.
14. Springer, M.; Moco, S. Resveratrol and Its Human Metabolites—Effects on Metabolic Health and Obesity. *Nutrients* 2019, 11, 143.
15. Cheng, C.K.; Luo, J.Y.; Lau, C.W.; Chen, Z.Y.; Tian, X.Y.; Huang, Y. Pharmacological basis and new insights of resveratrol action in the cardiovascular system. *Br. J. Pharmacol.* 2020, 177, 1258–1277.
16. Huang, X.T.; Li, X.; Xie, M.L.; Huang, Z.; Huang, Y.X.; Wu, G.X.; Peng, Z.R.; Sun, Y.N.; Ming, Q.L.; Liu, Y.X.; et al. Resveratrol: Review on its discovery, anti-leukemia effects and pharmacokinetics. *Chem. Biol. Interact.* 2019, 306, 29–38.
17. Vervandier-Fasseur, D.; Latruffe, N. The Potential Use of Resveratrol for Cancer Prevention. *Molecules* 2019, 24, 4506.
18. Galiniak, S.; Aebischer, D.; Bartusik-Aebischer, D. Health benefits of resveratrol administration. *Acta Biochim. Pol.* 2019, 66, 13–21.
19. Meng, X.; Zhou, J.; Zhao, C.N.; Gan, R.Y.; Li, H.B. Health Benefits and Molecular Mechanisms of Resveratrol: A Narrative Review. *Foods* 2020, 9, 340.
20. Shaito, A.; Posadino, A.M.; Younes, N.; Hasan, H.; Halabi, S.; Alhababi, D.; Al-Mohannadi, A.; Abdel-Rahman, W.M.; Eid, A.H.; Nasrallah, G.K.; et al. Potential adverse effects of resveratrol: A literature review. *Int. J. Mol. Sci.* 2020, 21, 2084.
21. Vestergaard, M.; Ingmer, H. Antibacterial and antifungal properties of resveratrol. *Int. J. Antimicrob. Agents* 2019, 53, 716–723.
22. Lin, S.C.; Ho, C.T.; Chuo, W.H.; Li, S.; Wang, T.T.; Lin, C.C. Effective inhibition of MERS-CoV infection by resveratrol. *BMC Infect. Dis.* 2017, 17, 144.
23. Annunziata, G.; Maisto, M.; Schisano, C.; Ciampaglia, R.; Narciso, V.; Tenore, G.C.; Novellino, E. Resveratrol as a novel anti-herpes simplex virus nutraceutical agent: An overview. *Viruses* 2018, 10, 473.
24. Mohd, A.; Zainal, N.; Tan, K.K.; AbuBakar, S. Resveratrol affects Zika virus replication in vitro. *Sci. Rep.* 2019, 9, 14336.
25. Paradelo, R.; Moldes, A.B.; Barral, M.T. Utilization of a factorial design to study the composting of hydrolyzed grape marc and vinification lees. *J. Agric. Food Chem.* 2010, 58, 3085–3092.
26. Yu, J.; Ahmedna, M. Functional components of grape pomace: Their composition, biological properties and potential applications. *Int. J. Food Sci. Technol.* 2013, 48, 221–237.
27. Pérez-Serradilla, J.A.; Castro, M.D.L.D. Microwave-assisted extraction of phenolic compounds from wine lees and spray-drying of the extract. *Food Chem.* 2011, 124, 1652–1659.

28. Jara-Palacios, M.J. Wine Lees as a Source of Antioxidant Compounds. *Antioxidants* 2019, 8, 45.
29. Nassiri-Asl, M.; Hosseinzadeh, H. Review of the Pharmacological Effects of *Vitis vinifera* (Grape) and its Bioactive Constituents: An Update. *Phytother. Res.* 2016, 30, 1392–1403.
30. Pasini, F.; Chinnici, F.; Caboni, M.F.; Verardo, V. Recovery of Oligomeric Proanthocyanidins and Other Phenolic Compounds with Established Bioactivity from Grape Seed By-Products. *Molecules* 2019, 24, 677.
31. Zhu, L.; Zhang, Y.; Lu, J. Phenolic contents and compositions in skins of red wine grape cultivars among various genetic backgrounds and originations. *Int. J. Mol. Sci.* 2012, 13, 3492–3510.
32. Mattos, G.N.; Tonon, R.V.; Furtado, A.A.; Cabral, L.M. Grape by-product extracts against microbial proliferation and lipid oxidation: A review. *J. Sci. Food Agric.* 2017, 97, 1055–1064.
33. Teixeira, A.; Eiras-Dias, J.; Castellarin, S.D.; Gerós, H. Berry phenolics of grapevine under challenging environments. *Int. J. Mol. Sci.* 2013, 14, 18711–18739.
34. Tang, G.Y.; Zhao, C.N.; Liu, Q.; Feng, X.L.; Xu, X.Y.; Cao, S.Y.; Meng, X.; Li, S.; Gan, R.Y.; Li, H.B. Potential of Grape Wastes as a Natural Source of Bioactive Compounds. *Molecules* 2018, 23, 2598.
35. Shinagawa, F.B.; De Santana, F.C.; Torres, L.R.O.; Mancini-Filho, J. Grape seed oil: A potential functional food? *Food Sci. Technol.* 2015, 35, 399–406.
36. Devesa-Rey, R.; Vecino, X.; Varela-Alende, J.L.; Barral, M.T.; Cruz, J.M.; Moldes, A.B. Valorization of winery waste vs. the costs of not recycling. *Waste Manag.* 2011, 31, 2327–2335.
37. Unterkofler, J.; Muhlack, R.A.; Jeffery, D.W. Processes and purposes of extraction of grape components during winemaking: Current state and perspectives. *Appl. Microbiol. Biotechnol.* 2020, 104, 4737–4755.
38. Ky, I.; Lorrain, B.; Kolbas, N.; Crozier, A.; Teissedre, P.L. Wine by-products: Phenolic characterization and antioxidant activity evaluation of grapes and grape pomaces from six different French grape varieties. *Molecules* 2014, 19, 482–506.
39. Rousserie, P.; Rabot, A.; Geny-Denis, L. From Flavanols Biosynthesis to Wine Tannins: What Place for Grape Seeds? *J. Agric. Food Chem.* 2019, 675, 1325–1343.
40. Guaita, M.; Bosso, A. Polyphenolic Characterization of Grape Skins and Seeds of Four Italian Red Cultivars at Harvest and after Fermentative Maceration. *Foods* 2019, 8, 395.
41. Bordiga, M.; Meudec, E.; Williams, P.; Montella, R.; Travaglia, F.; Arlorio, M.; Coisson, J.D.; Doco, T. The impact of distillation process on the chemical composition and potential prebiotic activity of different oligosaccharidic fractions extracted from grape seeds. *Food Chem.* 2019, 285, 423–430.
42. Antonioli, A.; Fontana, A.R.; Piccoli, P.; Bottini, R. Characterization of polyphenols and evaluation of antioxidant capacity in grape pomace of the cv. Malbec. *Food Chem.* 2015, 178, 172–178.
43. Lucarini, M.; Durazzo, A.; Romani, A.; Campo, M.; Lombardi-Boccia, G.; Cecchini, F. Bio-based compounds from grape seeds: A biorefinery approach. *Molecules* 2018, 23, 1888.
44. Luo, L.; Bai, R.; Zhao, Y.; Li, J.; Wei, Z.; Wang, F.; Sun, B. Protective Effect of Grape Seed Procyanidins against H₂O₂-Induced Oxidative Stress in PC-12 Neuroblastoma Cells: Structure-Activity Relationships. *J. Food Sci.* 2018, 83, 2622–2628.
45. Mossalayi, M.D.; Rambert, J.; Renouf, E.; Micoulet, M.; M'erillon, J.M. Grape polyphenols and propolis mixture inhibits inflammatory mediator release from human leukocytes and reduces clinical scores in experimental arthritis. *Phytomedicine* 2014, 21, 290–297.
46. Kemperman, R.A.; Gross, G.; Mondot, S.; Possemiers, S.; Marzorati, M.; Wiele, T.V.; Vaughan, E.E. Impact of polyphenols from black tea and red wine/grape juice on a gut model microbiome. *Food Res. Int.* 2013, 53, 659–669.
47. Saito, M.; Hosoyama, H.; Ariga, T.; Kataoka, S.; Yamaji, N. Antiulcer activity of grape seed extract and procyanidins. *J. Agric. Food Chem.* 1998, 46, 1460–1464.
48. Sun, T.; Chen, Q.Y.; Wu, L.J.; Yao, X.M.; Sun, X.J. Antitumor and antimetastatic activities of grape skin polyphenols in a murine model of breast cancer. *Food Chem. Toxicol.* 2012, 50, 3462–3467.
49. Jara-Palacios, M.J.; Hernanz, D.; Cifuentes-Gomez, T.; Escudero-Gilete, M.L.; Heredia, F.J.; Spencer, J.P.E. Assessment of white grape pomace from winemaking as source of bioactive compounds and its antiproliferative activity. *Food Chem.* 2015, 183, 78–82.
50. Zhang, R.; Yu, Q.; Lu, W.; Shen, J.; Zhou, D.; Wang, Y.; Gao, S.; Wang, Z. Grape seed procyanidin B2 promotes the autophagy and apoptosis in colorectal cancer cells via regulating PI3K/Akt signaling pathway. *Onco Targets Ther.* 2019, 12, 4109–4118.
51. Rodríguez-Pérez, C.; García-Villanova, B.; Guerra-Hernández, E.; Verardo, V. Grape Seeds Proanthocyanidins: An Overview of In Vivo Bioactivity in Animal Models. *Nutrients* 2019, 11, 2435.
52. Ma, Z.F.; Zhang, H. Phytochemical Constituents, Health Benefits, and Industrial Applications of Grape Seeds: A Mini-Review. *Antioxidants* 2017, 6, 71.
53. Butkhup, L.; Chotivannakul, S.; Gaensakoo, R.; Prathepha, P.; Samappito, S. Study of the phenolic composition of Shiraz red grape cultivar (*Vitis vinifera* L.) cultivated in north-eastern Thailand and its antioxidant and antimicrobial activity. *S. Afr. J. Enol. Vitic.* 2010, 31, 89–98.
54. Adamez, J.D.; Samino, E.G.; Sánchez, E.V.; González-Gómez, D. In vitro estimation of the antibacterial activity and

- antioxidant capacity of aqueous extracts from grape-seeds (*Vitis vinifera* L.). *Food Control* 2012, 24, 136–141.
55. Mirkarimi, M.; Amin-Marashi, S.; Bargrizan, M.; Abtahi, A.; Imani, F.A.A. The Antimicrobial Activity of Grape Seed Extract against Two Important Oral Pathogens. *Zahedan J. Res. Med. Sci.* 2013, 15, 43–46.
 56. Leone, A.; Longo, C.; Gerardi, C.; Trosko, J.E. Pro-Apoptotic Effect of Grape Seed Extract on MCF-7 Involves Transient Increase of Gap Junction Intercellular Communication and Cx43 Up-Regulation: A Mechanism of Chemoprevention. *Int. J. Mol. Sci.* 2019, 20, 3244.
 57. Kumar, A.; D'Silva, M.; Dholakia, K.; Levenson, A.S. In Vitro Anticancer Properties of Table Grape Powder Extract (GPE) in Prostate Cancer. *Nutrients* 2018, 10, 1804.
 58. Ravindranathan, P.; Pasham, D.; Goel, A. Oligomeric proanthocyanidins (OPCs) from grape seed extract suppress the activity of ABC transporters in overcoming chemoresistance in colorectal cancer cells. *Carcinogenesis* 2019, 40, 412–421.
 59. Mao, J.T.; Lu, Q.; Xue, B.; Neis, P.; Zamora, F.; Lundmark, L.; Qualls, C.; Massie, L. A Pilot Study of a Grape Seed Procyanidin Extract for Lung Cancer Chemoprevention. *Cancer Prev. Res.* 2019, 12, 557–566.
 60. Targhi, R.G.; Banaei, A.; Saba, V. Radioprotective effect of grape seed extract against gamma irradiation in mouse bone marrow cells. *J. Cancer Res. Ther.* 2019, 15, 512–516.
 61. Eldaim, M.A.A.; Tousson, E.; Sayed, I.E.T.E.; El-Aleim, A.E.A.H.A.; Elsharkawy, H.N. Grape seeds proanthocyanidin extract ameliorates Ehrlich solid tumor induced renal tissue and DNA damage in mice. *Biomed. Pharmacother.* 2019, 115, 108908.
 62. Du, Y.; Guo, H.; Lou, H. Grape seed polyphenols protect cardiac cells from apoptosis via induction of endogenous antioxidant enzymes. *J. Agric. Food Chem.* 2007, 55, 1695–1701.
 63. Hao, J.P.; Shi, H.; Zhang, J.; Zhang, C.M.; Feng, Y.M.; Qie, L.Y.; Dong, M.; Ji, X. Role of GSPE in improving early cerebral vascular damage by inhibition of Profilin-1 expression in a ouabain-induced hypertension model. *Eur. Rev. Med. Pharmacol. Sci.* 2018, 22, 6999–7012.
 64. Vinson, J.A.; Mandarano, M.A.; Shuta, D.L.; Bagchi, M.; Bagchi, D. Beneficial effects of a novel IH636 grape seed proanthocyanidin extract and a niacin-bound chromium in a hamster atherosclerosis model. *Mol. Cell Biochem.* 2002, 240, 99–103.
 65. Bijak, M.; Sut, A.; Kosiorek, A.; Saluk-Bijak, J.; Golanski, J. Dual Anticoagulant/Antiplatelet Activity of Polyphenolic Grape Seeds Extract. *Nutrients* 2019, 11, 93.
 66. Tu, X.; Wang, M.; Liu, Y.; Zhao, W.; Ren, X.; Li, Y.; Liu, H.; Gu, Z.; Jia, H.; Liu, J.; et al. Pretreatment of Grape Seed Proanthocyanidin Extract Exerts Neuroprotective Effect in Murine Model of Neonatal Hypoxic-ischemic Brain Injury by Its Antiapoptotic Property. *Cell Mol. Neurobiol.* 2019, 39, 953–961.
 67. Kadri, S.; El-Ayed, M.; Cosette, P.; Jouenne, T.; Elkhaoui, S.; Zekri, S.; Limam, F.; Aouani, E.; Mokni, M. Neuroprotective effect of grape seed extract on brain ischemia: A proteomic approach. *Metab. Brain Dis.* 2019, 34, 889–907.
 68. Wang, Y.J.; Thomas, P.; Zhong, J.H.; Bi, F.F.; Kosaraju, S.; Pollard, A.; Zhou, X.F. Consumption of grape seed extract prevents amyloid- β deposition and attenuates inflammation in brain of an Alzheimer's disease mouse. *Neurotox Res.* 2009, 15, 3–14.
 69. Youssef, S.B.; Brisson, G.; Doucet-Beaupré, H.; Castonguay, A.M.; Gora, C.; Amri, M.; Lévesque, M. Neuroprotective benefits of grape seed and skin extract in a mouse model of Parkinson's disease. *Nutr. Neurosci.* 2019, 25, 1–15.
 70. Pons, Z.; Margalef, M.; Bravo, F.; Arola-Arnal, A.; Muguerza, B. Chronic administration of grape-seed polyphenols attenuates the development of hypertension and improves other cardiometabolic risk factors associated with the metabolic syndrome in cafeteria diet-fed rats. *Br. J. Nutr.* 2017, 117, 200–208.
 71. Rameshrad, M.; Razavi, B.M.; Imenshahidi, M.; Hosseinzadeh, H. *Vitis vinifera* (grape) seed extract and resveratrol alleviate bisphenol-A-induced metabolic syndrome: Biochemical and molecular evidences. *Phytother. Res.* 2019, 33, 832–844.
 72. Griffin, L.E.; Witrick, K.A.; Klotz, C.; Dorenkott, M.R.; Goodrich, K.M.; Fundaro, G.; McMillan, R.P.; Hulver, M.W.; Ponder, M.A.; Neilson, A.P. Alterations to metabolically active bacteria in the mucosa of the small intestine predict anti-obesity and anti-diabetic activities of grape seed extract in mice. *Food Funct.* 2017, 8, 3510–3522.
 73. Gurger, M.; Yilmaz, E.; Yilmaz, S.; Once, G.K.; Konuk, M.; Kaya, E.; Say, Y.; Artas, G.; Artas, H. Grape seed extract supplement increases bone callus formation and mechanical strength: An animal study. *J. Orthop. Surg. Res.* 2019, 14, 206.
 74. Soleymani, S.; Iranpanah, A.; Najafi, F.; Belwal, T.; Ramola, S.; Abbasabadi, Z.; Momtaz, S.; Farzaei, M.H. Implications of grape extract and its nanoformulated bioactive agent resveratrol against skin disorders. *Arch. Dermatol. Res.* 2019, 311, 577–588.
 75. Izadpanah, A.; Soorgi, S.; Geraminejad, N.; Hosseini, M. Effect of grape seed extract ointment on cesarean section wound healing: A double-blind, randomized, controlled clinical trial. *Complement. Ther. Clin.* 2019, 35, 323–328.
 76. Decean, H.P.; Brie, I.C.; Tatomir, C.B.; Perde-Schrepler, M.; Fischer-Fodor, E.; Virag, P. Targeting MAPK (p38, ERK, JNK) and inflammatory CK (GDF-15, GM-CSF) in UVB-Activated Human Skin Cells with *Vitis vinifera* Seed Extract. *J. Environ. Pathol. Toxicol. Oncol.* 2018, 37, 261–272.
 77. Brenes, A.; Viveros, A.; Goñi, I.; Centeno, C.; Saura-Calixto, F.; Arija, I. Effect of grape seed extract on growth

- performance, protein and polyphenol digestibilities, and antioxidant activity in chickens. *Span. J. Agric. Res.* 2010, 8, 326–335.
78. Martineau, A.S.; Leray, V.; Lepoudere, A.; Blanchard, G.; Bensalem, J.; Gaudout, D.; Oduerram, K.; Nguyen, P. A mixed grape and blueberry extract is safe for dogs to consume. *BMC Vet. Res.* 2016, 12, 162.
79. Grases, F.; Prieto, R.M.; Fernández-Cabot, R.A.; Costa-Bauzá, A.; Sánchez, A.M.; Prodanov, M. Effect of consuming a grape seed supplement with abundant phenolic compounds on the oxidative status of healthy human volunteers. *Nutr. J.* 2015, 14, 1–8.
80. García-Lomillo, J.; González-San-José, M.L.; Del-Pino-García, R.; Rivero-Pérez, M.D.; Muniz-Rodríguez, P. Antioxidant and antimicrobial properties of wine byproducts and their potential uses in the food industry. *J. Agric. Food Chem.* 2014, 62, 12595–12602.
81. Özvural, E.B.; Vural, H. Which is the best grape seed additive for frankfurters: Extract, oil or flour? *J. Sci. Food Agric.* 2014, 94, 792–797.
82. Fernandes, L.; Casal, S.; Cruz, R.; Pereira, J.A.; Ramalhosa, E. Seed oils of ten traditional Portuguese grape varieties with interesting chemical and antioxidant properties. *Food Res. Int.* 2013, 50, 161–166.
83. Lachman, J.; Hejtmánková, A.; Táborský, J.; Kotíková, Z.; Pivec, V.; Střalková, R.; Vollmannová, A.; Bojňanská, T.; Dědina, M. Evaluation of oil content and fatty acid composition in the seed of grapevine varieties. *LWT Food Sci. Technol.* 2015, 63, 620–625.
84. Agostini, F.; Bertussi, R.A.; Agostini, G.; Atti dos Santos, A.C.; Rossato, M.; Vanderlinde, R. Supercritical Extraction from Vinification Residues: Fatty Acids, α -Tocopherol, and Phenolic Compounds in the Oil Seeds from Different Varieties of Grape. *Sci. World J.* 2012, 2012, 790486.
85. Baydar, N.G.; Akkurt, M. Oil content and oil quality properties of some grape seeds. *Turk. J. Agric. For.* 2001, 25, 163–168.
86. Al Juhaimi, F.; Gecgel, Ü.; Gülcü, M.; Hamaur, M.; Özcan, M.M. Bioactive properties, fatty acid composition and mineral contents of grape seed and oils. *S. Afr. J. Enol. Vitic.* 2017, 38, 103–108.
87. Özcan, M.M.; Al Juhaimi, F.; Gülcü, M.; Ulsu, N.; Gecgel, Ü. Determination of bioactive compounds and mineral contents of seedless parts and seeds of grapes. *S. Afr. J. Enol. Vitic.* 2017, 38, 212–220.
88. Elagamey, A.A.; Abdel-Wahab, M.A.; Shima, M.M.E.; Abdel-Mogib, M. Comparative study of morphological characteristics and chemical constituents of seeds of some grape table varieties. *J. Am. Sci.* 2013, 9, 447–454.
89. Tangolar, S.G.; Özogul, Y.; Tangolar, S.; Torun, A. Evaluation of fatty acid profiles and mineral content of grape seed oil of some grape genotypes. *Int. J. Food Sci. Nutr.* 2009, 60, 32–39.
90. Bada, J.C.; León-Camacho, M.; Copovi, P.; Alonso, L. Characterization of grape seed oil from wines with protected denomination of origin (PDO) from Spain. *Grasas Aceites* 2015, 66, e085.
91. Sabir, A.; Unver, A.; Kara, Z. The fatty acid and tocopherol constituents of the seed oil extracted from 21 grape varieties (*Vitis* spp.). *J. Sci. Food Agric.* 2012, 92, 1982–1987.
92. Crews, C.; Hough, P.; Godward, J.; Brereton, P.; Lees, M.; Guiet, S.; Winkelmann, W. Quantitation of the main constituents of some authentic grape-seed oils of different origin. *J. Agric. Food Chem.* 2006, 54, 6261–6265.

Keywords

wine;grape seed oil;functional food;fatty acid;nutraceutical