



Economic analysis of greenhouse gas emissions in the Spanish economy

J.M. Cansino ^{a,*}, M.A. Cardenete ^b, M. Ordóñez ^a, R. Román ^a

^a University of Seville, Avda Ramon y Cajal, n 1, 41018 Seville, Spain

^b European Commission. Joint Research Centre (JRC), Institute for Prospective, Technological Studies (IPTS), Pablo de Olavide University, Seville, Spain

ARTICLE INFO

Article history:

Received 11 November 2011

Received in revised form

26 June 2012

Accepted 27 June 2012

Available online 13 August 2012

Keywords:

Greenhouse gas emissions

Input–Output analysis

Social Accounting Matrix

Emission vector

ABSTRACT

The volume of greenhouse gas (GHG) emissions (carbon dioxide, methane and nitrous oxide) to the atmosphere generated by Spain's economic activity is calculated by applying an Input–Output model. The research takes the Social Accounting Matrices for Spain over the years 2002–2007 (SAMESP) as a starting point, from which emission vectors are obtained for each of these years. The results show that the main sectors by volume of emissions are “Electric power and heating”, “Transport”, and “Agriculture, Stockbreeding, Forestry and Fishing”. The values of the emissions calculated with the vectors obtained from SAMESP are very similar to those of the emissions finally registered. Emission vector values diminished in most sectors during the period considered, particularly with respect to the “Electric power and heating” sector in the case of carbon dioxide production. The “Agriculture, Stockbreeding, Forestry and Fishing” sector was an exception to the fact because a trend for decreased emission was not recorded for any of the gases. From the calculated vectors, we estimate that the 20% reduction of GHG emissions required of countries in the EU-27 by 2020 will be accomplished by reducing carbon dioxide emissions, even though emissions of methane and nitrous oxide are likely to increase.

© 2012 Published by Elsevier Ltd.

Contents

1. Introduction	6032
2. Methodology and database	6033
3. Results and application	6034
4. Conclusions	6036
Appendix	6039
References	6039

1. Introduction

The energy sector plays an important role in the economic growth of a country and in the living standards of its citizens. Nevertheless, in the European Union (EU-27), this sector is responsible for nearly 80 percent of the greenhouse gas (GHG) emissions to the atmosphere.¹ Therefore, it is necessary to develop an energy sector that meets two objectives at the same time: on the one hand, to supply society's energy needs and, on the other, to promote the use of technologies that are environmentally friendly.

* Corresponding author. Tel.: +34 639834999.

E-mail address: jmcansino@us.es (J.M. Cansino).

¹ European Environment Agency (EEA, [8]).

In the case of Spain, energy transformation—mostly through combustion activities—and, to a lesser extent, the fugitive emissions from fuel,² represent 77.0 percent of the total GHG emissions.³ However, there are other important processes that need to be taken into account, such as those carried out in the “Agriculture, Stockbreeding, Forestry and Fishing” and the Industry sectors, which are responsible for 10.5 percent and 7.3 percent, respectively, of the total GHG emissions.⁴ In this context, the

² Fugitive emissions are generated in the process of extracting, storing and manipulating solid fuels (coal) and extracting, storing, transporting, transforming or eliminating fuels derived from oil or natural gas.

³ Ministry of the Environment and Rural and Marine Affairs—MARM—(2011).

⁴ Appendix A of the Kyoto Protocol [28] considers six greenhouse gases: carbon dioxide (CO₂), methane (CH₄), nitrous oxide (N₂hydrofluorocarbons (HFC), perfluorocarbons (PFC) and sulphur hexafluoride (SF₆).

objective for 2020 fixed by EU Directive 2003/30/EC is assessed here with respect to Spain. The objective of this policy is to contribute in a more efficient manner to the following targets: (1) to reduce GHG emissions by 20%, (2) to achieve a 20% participation of renewable energy sources in primary energy and (3) to increase energy efficiency by 20%.

It is possible to calculate GHG emissions for Spain by using an Input–Output (I–O) methodology. This methodology is supported by an extensive literature, since the externalities generated by production activities were long ago presented in an I–O analysis by Leontief [16]. This model has been subsequently used by a large number of authors, among which Proops et al. [22] made a comparative study of Germany and the United Kingdom; Hawdon and Pearson [11] studied economic policies in relation to energy consumption, environmental impact, employment and economic well-being; Machado et al. [18] analysed the impact of international trade on carbon dioxide (CO₂) emissions; Wiedmann et al. [31] described a series of models to evaluate environmental impacts; Limmeechokchai and Saksuntornsiri [17] analysed the relation between energy consumption and emissions; and Okushima and Tamura [21] evaluated the effect of technological change on CO₂ emissions. Finally, Cellura et al. [4,5], used Structural Decomposition Analysis to determine environmental impacts due to real production and consumption patterns and the impact that final demand has on CO₂ emissions.

In Spain, similar studies using an I–O methodology have been carried out, for example, by Alcántara and Roca [1] to estimate energy demand and CO₂ emissions. Labandeira and Labeaga [15] obtained the intensities of energy-related CO₂, while Sánchez-Chóliz and Duarte [25] assessed Spanish exports and imports in terms of direct and indirect emissions of CO₂. Rodríguez et al. [24] used the Environmental Social Accounting Matrix to analyze economic and environmental efficiency by calculating multipliers, breaking them into direct, indirect and induced. Roca and Serrano [23] analyzed the relationship between income growth and pollution using a structural decomposition analysis, while Butnar and Lop [2] quantified changes in the levels of GHG emissions due to changes in final demand for production activities. Tarancón and Del Río [27] on the other hand analyzed links between the production sectors and emissions of CO₂, while Duarte et al. [7] studied links between income levels, patterns of consumption and CO₂ emissions. Guerra and Sancho [10] used the hypothetical extraction method for measuring the energy efficiency of the economic sectors and GHG emissions. At a regional level, Manresa and Sancho [19] estimated CO₂ emissions for the Catalan economy, while Cardenete et al. [3] carried out a similar study based on the Andalusian economy.

Although estimates have been made based on the I–O methodology, and therefore using the Leontief inverse matrix, the model used here to calculate the emission vectors takes SAM as its database to obtain estimates compatible with future research involving residential sector emissions included in the SAM and not in the I–O table.

The first objective of this article is to calculate emission vectors from a Social Accounting Matrix for Spain (SAMESP), in which each element represents the volume of emissions of each production sector by monetary unit. An emission vector is calculated for each GHG considered (CO₂, methane (CH₄) and nitrous oxide (N₂O)). The results permit identification of those economic sectors with a lower intensity in relation to GHG emissions, i.e. those that produce a greater volume of emissions per monetary unit. These data can facilitate the design of future energy policies oriented towards efficiency and the improvement of the environment.

The paper also verifies the predictive character of the emission vectors by comparing the calculated emission values with those

actually observed. For this purpose, the vectors obtained for the years 2002–2007 are used to estimate the vector for the year 2009 and to compare this with the observed emissions for that year according to the GHG Emissions Inventory. This article thus contributes to the literature by testing the robustness of the implemented methodology.

Once this is verified, we can estimate the minimum technological improvement required by the Spanish economy to satisfy Directive 2003/30/EC commitments. This is the second objective of this article. In this sense, the article also contributes to the literature given that no such similar analysis has been made for the Spanish case.

To perform this emission analysis we have used a Social Accounting Matrix (SAM) at purchase prices for Spain in the years 2002–2007 classified according to activity division, and built from the supply and use tables of the I–O Framework and the Accounts Charts provided by the Instituto Nacional de Estadística [12,13]. In addition, we have used statistical data on emissions taken from the GHG Emissions Inventory elaborated by the Ministry Of The Environment And Rural And Marine Affairs (MARM) [20] and the Secretariat of the United Nations Framework Convention on Climate Change [29].

The article is structured into four sections. Following this introduction, both the database used in the analysis and the methodology employed to calculate the emission vectors will be described. In the Section 3, we will show the results obtained by implementing this methodology and illustrate an application of those results, while in the Section 4, the conclusions of the study will be presented.

2. Methodology and database

The SAMs initially introduced by Stone [26] are used as a statistical support for the construction of economic models that aim to evaluate the results derived from the application of specific economic policies, among other aspects. SAMs permit all the interactions between the different production sectors to be identified, and between these and the primary factors and economic agents involved through to the final demand, thus offering a clearer picture of the economy as a whole.

A SAM is represented by a square matrix that shows all monetary flows originating from the transactions made between the production sectors and the remaining economic agents (households, non-profit sector, public sector and foreign sector). Each cell is denoted as t_{ij} , with each transaction having its own row and column within the matrix. Rows and columns must be arranged identically. In a SAM, each account is represented by one row (i) and one column (j), and by convention the rows represent employment and the columns, resources. Thus, each t_{ij} cell that is not null reflects the value of all the transactions made during the period considered by the agents of sectors i and j in which agent i received payments made by agent j .

The structure of the SAM for Spain (SAMESP) is given in Table A1 of the Appendix; it includes 28 accounts, twelve of which correspond to production activities. Two production factors are also contemplated: Labour (13) and Capital (14). The latter includes Gross Operating Surplus (GOS) and Gross Mixed Income (GMI). Together with these are included Gross Capital Formation (16), which represents Savings/Investment, and twelve accounts that represent institutional sectors (households, non-financial companies, financial institutions and public administrations). Households are included within the Consumption account (15). Public administrations are represented in the following accounts: Social Security contributions paid by employers (20), Social Security contributions (21), Indirect taxes on production and

imports net of subsidies (22, 23 and 24), Trade and transport margins (25), Income tax and other current taxes (26), and Public administration expenditure (27). The foreign sector is represented by Imports/Exports (28). The three remaining accounts are the Employment and resources of non-financial companies and financial institutions (17), Property revenues (18) and Transfers (19), where social subsidies other than transfers in kind or other current transfers are included.

The information required for the construction of SAMESP is taken from the supply and use tables at basic prices of the I–O Framework for Spain and from the Accounts Charts for those same years. From the supply and use tables it is possible to obtain, by using different procedures, the technical coefficient matrix and, from this, a symmetric table. The transformation can be based on several assumptions, which in the present case is based on the sales structure to transform the supply and use tables to symmetric industry by industry input–output tables [9].

As previously pointed out, one characteristic of the I–O models is their extreme versatility, enabling them to be used in very different types of studies. Among other uses, they can serve as a basis for the analysis of the relation between production activities and GHG emissions. For each specific technology, there must be a direct relation between the production of the various sectors and the volume of emissions. On the other hand, given that the various economic sectors use different technologies, GHG emissions for the same volume of production will necessarily vary between the different sectors. Therefore, it is possible to calculate the volume of emissions by monetary unit for each of the production sectors of an economy. This is what we call the “emission vector”, which allows the analysis of variations in GHG emissions under different assumptions: changes in the final demand, changes in technology, changes in environmental policies, etc.

As mentioned above, the basis of the methodology applied in this work can be found in the Leontief model. The fundamental equation of this model indicates that each sector’s production depends on the final demand and on the so-called “Leontief inverse matrix”, and is defined by the following expression:

$$X = [I - A]^{-1} D \quad (1)$$

where X is a column vector ($n \times 1$) representing the production of each sector, and I is the identity matrix ($n \times n$). A is the matrix of technical coefficients, and D is a column vector ($n \times 1$) representing the final demand of each sector, including the household final consumption, investment, government spending and exports. In the case of the components of final demand, values have been deflated to year 2000 prices [6].

Since a direct relation between production and GHG emissions can be defined, it is also possible to calculate, for each production sector, the emissions per monetary unit—i.e. the emission vector. If we denote the volume of emissions generated by each of the production sectors as E and the emission vector as K , we can reformulate Eq. (1) as

$$E = \hat{K} [I - A]^{-1} D \quad (2)$$

where \hat{K} is a diagonal matrix,⁵ in which the diagonal elements correspond to those of the emission vector. The previous expression indicates that GHG emissions will depend on the final demand and on technology A . Eq. (2) may be reformulated as

$$E = \hat{K} X \quad (3)$$

⁵ The $\hat{}$ symbol indicates “diagonalization”, this being a square matrix whose diagonal elements correspond to emission vector elements. The remaining elements have a null value.

from which

$$K = \hat{X}^{-1} E \quad (4)$$

The diagonal elements of this matrix will be the elements of the emission vector.

3. Results and application

For the calculations performed, we used data derived from the Leontief inverse matrix and the final demand data obtained from SAMESP corresponding to the years 2002–2007. The latter data includes final household consumption, investment, public expenditure and exportations. GHG emissions data were taken from the GHG Inventory published by the Secretariat of the United Nations Framework Convention on Climate Change [29] for the same years.⁶

The application of Eq. (4) to each of the GHGs considered provides an emission vector for each gas, as reflected in Tables 1–3. Each of these elements represents the kilograms of equivalent CO₂ emitted per euro of production, showing the intensity of emissions produced per euro. The tables reflect data for the twelve economic sectors considered (plus the residential sector) and for three greenhouse gases (GHG)⁷, CO₂, CH₄ and N₂O.⁸

In the case of CO₂, it can be seen in Table 1 that the most polluting sectors per monetary unit are “Electric power and heating”, “Transport” and “Coal”. In particular, electric power and heating plants are those with the highest emission coefficient, being slightly more than twice the coefficients of the “Transport” and “Coal” sectors. At the other extreme, we find “Trade and remaining services” and “Food, beverages and tobacco” as the least polluting sectors per monetary unit produced.

A comparison of the emissions per monetary unit produced between 2002 and 2007 shows that they have fallen in most sectors, except in the case of “Coal” and “Agriculture, Stockbreeding, Forestry and Fishing”. In some sectors such as “Food, beverages and tobacco”, “Metallurgy” and “Oil refining”, a considerable decrease in relative terms has occurred. However, the impact on total emissions of the positive influence of “Electric power and heating”, “Transport” and “Remaining industries and construction” sectors should be noted.

In the case of CH₄, as shown in Table 2, the sectors with the highest emission coefficients are “Coal” and “Agriculture, Stockbreeding, Forestry and Fishing”. For this last-mentioned sector, stockbreeding⁹ is responsible for the majority of these emissions.

For the period 2002–2007, the largest decreases were observed in the “Oil and natural gas”, “Transport”, “Metallurgy” and “Food, beverages and tobacco” sectors. However, the first two and, to a lesser extent the “Coal” sector as well, should be highlighted in terms of their impact on total emissions. In contrast, the largest increases were observed for “Electric power and heating” and in the “Remaining Industries and Construction” sectors. The farming sector cannot be seen to have developed a positive trend towards reduced emissions even though it is responsible for more than 87% of the total methane gas emissions from all production sectors. The reason why this occurs is because these emissions

⁶ See Table A.2 of the Appendix.

⁷ Only three of the six primary GHGs were considered in this analysis, given that they represent more than 97 percent of the total emissions [29].

⁸ The aggregation of the different categories of GHG emission sources, as well as the total emission, can be seen in Table A.3 in the Appendix.

⁹ In particular, enteric fermentation (which takes place in the digestive system of bovine and ovine cattle) and the management of animal manure are responsible for 60 percent of the total methane emissions.

Table 1
CO₂ emission vector by sector in Spain (2002–2007) (Kg of equivalent CO₂/€).
Source: own elaboration.

	2002	2003	2004	2005	2006	2007	Variation 2002/2007 (%)
1. Agriculture, stockbreeding, forestry and fishing	0.1648	0.1607	0.1672	0.1765	0.1785	0.1700	3.1
2. Coal	0.7649	0.9320	0.9286	0.8822	0.8700	0.8570	12.0
3. Oil and natural gas	0.1528	0.1402	0.1390	0.1021	0.0899	0.1022	–33.1
4. Oil refining	0.3261	0.3153	0.3008	0.2430	0.2149	0.2092	–35.8
5. Electric power and heating	3.5029	3.1260	3.2575	2.9510	2.4622	2.4396	–30.4
6. Food, beverages and tobacco	0.0562	0.0579	0.0557	0.0525	0.0566	0.0311	–44.6
7. Paper and printing	0.1382	0.1675	0.1516	0.1538	0.1492	0.1343	–2.8
8. Chemical industry	0.1110	0.1198	0.1257	0.1182	0.1117	0.1021	–8.0
9. Metallurgy	0.1813	0.1681	0.1691	0.1713	0.1469	0.1162	–35.9
10. Remaining industries and construction	0.1090	0.1101	0.1072	0.1037	0.0946	0.1015	–6.9
11. Transport	1.3805	1.3869	1.3723	1.3388	1.2959	1.2655	–8.3
12. Trade and remaining services	0.0139	0.0146	0.0142	0.0142	0.0120	0.0113	–18.7

Table 2
CH₄ emission vector (2002–2007) (Kg of equivalent CO₂/€ Note: To transform methane gas emissions (expressed in units of mass of the gas itself) in mass units of CO₂ equivalent, has been multiplied by a conversion factor of 21. Thus, 1 kg of methane is 21 kg CO₂ equivalent.).
Source: own elaboration.

	2002	2003	2004	2005	2006	2007	Variation 2002/2007 (%)
1. Agriculture, stockbreeding, forestry and fishing	0.3292	0.3286	0.3312	0.3420	0.3452	0.3323	0.9
2. Coal	0.4421	0.4903	0.4451	0.4045	0.4220	0.3927	–11.2
3. Oil and natural gas	0.0668	0.0493	0.0514	0.0423	0.0232	0.0216	–67.7
4. Oil refining	0.0002	0.0002	0.0002	0.0001	0.0001	0.0001	–32.9
5. Electric power and heating	0.0013	0.0020	0.0028	0.0027	0.0027	0.0026	96.8
6. Food, beverages and tobacco	0.0007	0.0007	0.0007	0.0008	0.0010	0.0004	–41.0
7. Paper and printing	0.0015	0.0019	0.0015	0.0017	0.0017	0.0014	–10.1
8. Chemical industry	0.0016	0.0018	0.0020	0.0020	0.0020	0.0017	10.2
9. Metallurgy	0.0008	0.0009	0.0010	0.0011	0.0009	0.0004	–47.2
10. Remaining industries and construction	0.0003	0.0004	0.0004	0.0005	0.0004	0.0006	59.6
11. Transport	0.0032	0.0029	0.0025	0.0022	0.0019	0.0016	–48.6
12. Trade and remaining services	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	14.1

Table 3
N₂O emission vector by sector in Spain (2002–2007) (Kg of equivalent CO₂/€ Note: To transform the nitrous oxide emissions (expressed in units of mass of the gas itself) in mass units of CO₂ equivalent, has been multiplied by a conversion factor of 310. Thus, 1 kg of methane corresponds to 310 kg of CO₂ equivalent.).
Source: own elaboration.

	2002	2003	2004	2005	2006	2007	Variation 2002/2007 (%)
1. Agriculture, stockbreeding, forestry and fishing	0.3861	0.4064	0.3950	0.3829	0.3923	0.3826	–0.9
2. Coal	0.0051	0.0059	0.0059	0.0057	0.0058	0.0056	9.0
3. Oil and natural gas	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	–82.3
4. Oil refining	0.0026	0.0025	0.0024	0.0019	0.0017	0.0017	–36.0
5. Electric power and heat	0.0212	0.0194	0.0191	0.0170	0.0147	0.0141	–33.3
6. Food, beverages and tobacco	0.0005	0.0005	0.0004	0.0004	0.0004	0.0003	–34.4
7. Paper and printing	0.0021	0.0023	0.0023	0.0023	0.0022	0.0022	4.8
8. Chemical industry	0.0363	0.0319	0.0291	0.0310	0.0286	0.0251	–30.6
9. Metallurgy	0.0010	0.0010	0.0009	0.0009	0.0008	0.0006	–42.6
10. Remaining industries and construction	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	–5.6
11. Transport	0.0149	0.0145	0.0132	0.0126	0.0121	0.0118	–20.6
12. Trade and remaining services	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	–17.9

are largely due to the digestive processes of cattle and the management of manure.

In the case of N₂O, the “Agriculture, Stockbreeding, Forestry and Fishing” sector is responsible for more than 80% of emissions of all the production sectors. Furthermore, as shown in Table 3, this sector generates the highest emissions of gas produced per monetary unit. The evolution of N₂O emissions over recent years has barely changed, which contrasts with most other sectors where an improvement in the emission vectors is seen. In this sense, the improvement in the “Electric power and heating”, “Chemical industry” and “Transport” sectors are notable.

The reliability of the methodology is verified by comparing the calculated and measured emission data. To do this, after

calculating the GHG emissions vectors for the 2002–2007 period, the emission vectors for the year 2009 are estimated. To perform this estimation, the data in Tables 1–3 are taken into account. Also, some linear and nonlinear regressions are calculated to estimate the three vectors for 2009, with time used as an independent variable. The regression with the highest coefficient of determination (R²) is chosen for each estimation (see Tables A.4–A.6 in Appendix). In the case of CO₂, most of the regressions performed are linear with a high coefficient of determination. In contrast, most of the regressions in the case of CH₄ are non-linear, mostly exponential and potential types, but with a minor value of the coefficient of determination. The case of N₂O is intermediate, with half of the regressions being linear and the other half

Table 4

GHG emission vector by sector in Spain. Year 2009.
Source: wn elaboration.

SECTORS	GHG emission vector (Kg of equivalent CO ₂ /€)		
	CO ₂	CH ₄	N ₂ O
1. Agriculture, stockbreeding, forestry and fishing	0.1813	0.3412	0.3824
2. Coal	0.9133	0.3715	0.0059
3. Oil and natural gas	0.0643	0.0018	0.0000
4. Oil refining	0.1465	0.0001	0.0013
5. Electric power and heating	1.9780	0.0035	0.0107
6. Food, beverages and tobacco	0.0345	0.0005	0.0003
10. Paper and printing	0.1395	0.0015	0.0021
8. Chemical industry	0.1045	0.0021	0.0257
9. Metallurgy	0.1087	0.0005	0.0005
10. Remaining industries and construction	0.0931	0.0006	0.0006
11. Transport	1.2266	0.0011	0.0114
12. Trade and remaining services	0.0108	0.0001	0.0000

Table 5

Estimated and observed GHG emissions for the year 2009.
Source: United Nations [29] and own elaboration.

GHG	Estimated emissions (kt of equivalent CO ₂)	Observed emissions (kt of equivalent CO ₂)	Variation (%)
CO₂ (Carbon dioxide)	283,257	279,564	+1.3
CH₄ (Methane)	20,516	20,799	–1.4
N₂O (Nitrous oxide)	25,377	24,735	+2.6
Total	329,149	325,098	+1.2

nonlinear, with a high value for the coefficient of determination for most of them. The calculated regressions for each of the sectors permit the emissions vector for 2009 to be estimated for the three GHGs. The results are shown in Table 4.

The results obtained are shown in Table 5 along with real observed data from the inventory of GHG emissions [30].¹⁰

It should be noted that the calculated emissions differ very little from the real observed emissions, with the highest variation being in the case of N₂O. For the three GHGs considered as a whole, the difference (relative error) is +1.2% in terms of the variation with respect to each other. Some of these differences could be due to the small number of observations (6) that have been taken into account.

Once the GHG emission vector was calculated, a simulation was performed with the aim of determining whether Spain can meet the objectives established by Directive 2003/30/EC in relation to the emission levels of these three GHGs in 2020. The hypothesis considered to comply with the 2020 scenario implies that emission levels of CO₂, CH₄ and N₂O would be reduce by 20% with respect to 1990s' values. Column 3 in Table 6 shows these targets.

Column 2 in Table 6 shows the emission levels calculated from the derived vectors. To determine these we assume a linear increase of the final demand that equals the growth of the GDP between 2007 and 2009. For the years between 2010 and 2017, we use forecasts for Spain's GDP growth published by the

¹⁰ Before comparing the calculated values for the vectors of 2009 with the real measured emission values, the growth rates at constant prices of the final demand components in Spain (Díaz and García, 2011) in 2008 and 2009 must be taken into account. These rates are: private consumption (–1.05 and –4.98%), gross capital formation (–4.71 and –16.46%), public consumption (5.37 and 2.44%) and exports (–1.54 and –12.26%). Díaz and García (2011).

Table 6

Estimated and observed GHG emissions for the year 2020.
Source: IMF (2012) and own elaboration.

GHG	Estimated emissions (kt of equivalent CO ₂)	Objective 2020 (kt of equivalent CO ₂)	Variation (%)
CO₂ (Carbon dioxide)	167,210	180,652	–7.4
CH₄ (Methane)	24,123	21,816	+14.6
N₂O (Nitrous oxide)	27,394	26,363	+23.7
Total	218,727	233,169	–2.3

Table A1

Structure of the SAMESP.
Source: own elaboration.

	SAMESP
Productive sectors	1 al 12
Primary factors:	
Labour	13
Capital	14
Savings/investment:	
Gross capital formation	16
Institutional sectors:	
Consumption	15
Non-financial companies/financial institutions	17
Property revenues	18
Transfers	19
Social security deductions paid by employers	20
Social security contributions	21
Taxes less subsidies on products (industries)	22
Other less subsidies on production	23
Taxes less subsidies on products (final demand)	24
Trade and transport margins	25
Income tax and other current taxes	26
Public administration expenditure	27
Foreign sector:	
Imports/exports	28
Source: own elaboration	

International Monetary Fund [14]. From 2017 to 2020 the forecast for 2017 is assumed to remain constant.

The last row in Table 6 shows that the 2020 target could be achieved by a reduction of CO₂ emissions (the most abundant GHG), given that the estimated emissions of methane and nitrous oxide are expected to increase.

4. Conclusions

The calculation of an emission vector for three GHGs (carbon dioxide, methane and nitrous oxide) among 2002 and 2007 shows us that the two main production activities generating the largest volume of carbon dioxide per monetary unit are "Transport" and "Electric power and heating". Although the total emissions of both sectors slightly exceed 100,000 kt of equivalent CO₂, their efficiency is different with respect to emissions; in particular, in 2002 the "Electric power and heating" sector emits twice as much CO₂ per monetary unit (3.5 kg of equivalent CO₂/€) as the "Transport" sector (1.38 kg of equivalent CO₂/€). However, its evolution over the period 2002–2007 has been, in terms of emissions per monetary unit, more positive than that of "Transport".

In 2002, for the two other gases, CH₄ and N₂O, the "Agriculture, Stockbreeding, Forestry and Fishing" sector produces the highest volume of emissions with average coefficients per

Table A2GHG emissions by sector in Spain. Years 2002–2007. GHG Emissions (kt of equivalent CO₂).

Source: UNFCCC (2011) and own elaboration.

	2002			2003			2004		
	Carbon dioxide	Methane	Nitrous oxide	Carbon dioxide	Methane	Nitrous oxide	Carbon dioxide	Methane	Nitrous oxide
1. Agriculture, stockbreeding, forestry and fishing	9,751.4	19,475.6	22,843.3	9,761.4	19,962.2	24,685.6	9,912.5	19,632.7	23,416.3
2. Coal	1,894.0	1,094.8	12.7	2,044.6	1,075.5	13.0	2,147.6	1,029.4	13.7
3. Oil and natural gas	2,051.0	896.8	0.1	1,828.9	642.9	0.1	2,087.0	772.2	0.0
4. Oil refining	12,784.8	7.2	102.9	12,708.9	7.3	102.3	13,397.9	7.6	106.8
5. Electric power and heating	98,208.1	37.5	593.9	91,093.8	57.0	564.1	100,011.0	86.3	585.0
6. Food, beverages and tobacco	5,956.2	73.8	47.8	6,276.2	80.6	50.0	6,317.8	84.9	50.4
7. Paper and printing	5,251.5	58.4	78.5	6,250.4	72.1	86.7	5,622.5	56.7	85.6
8. Chemical industry	9,993.66	141.8	3,263.9	11,028.41	163.9	2,939.3	11,849.06	185.4	2,739.7
9. Metallurgy	12,705.8	53.0	73.3	12,020.3	64.9	68.4	13,563.4	82.6	75.2
10. Remaining industries and construction	54,975.3	175.1	335.4	58,248.7	222.0	352.9	59,341.0	245.1	358.9
11. Transport	88,661.1	203.2	955.4	92,610.6	193.7	967.9	96,220.0	177.7	923.5
12. Trade and remaining services	7,881.5	40.0	39.1	8,641.7	44.6	42.2	8,892.9	49.3	43.3
Economic sectors total	310,114.3	22,257.1	28,346.2	312,514.0	22,586.6	29,872.5	329,362.7	22,410.0	28,398.4
Residential sector	17,308.5	12,710.2	1,361.4	18,755.9	12,753.4	1,385.4	19,531.0	12,795.5	1,396.1
Total emissions	327,422.8	34,967.3	29,707.6	331,269.9	35,340.0	31,257.9	348,893.7	35,205.5	29,794.5
	2005			2006			2007		
	Carbon dioxide	Methane	Nitrous oxide	Carbon dioxide	Methane	Nitrous oxide	Carbon dioxide	Methane	Nitrous oxide
1. Agriculture, stockbreeding, forestry and fishing	9,931.3	19,250.5	21,547.7	10,052.6	19,444.3	22,095.5	10,119.4	19,779.2	22,773.9
2. Coal	2,138.4	980.4	13.8	1,998.4	969.4	13.2	2,004.7	918.5	13.0
3. Oil and natural gas	2,061.6	854.7	0.1	2,188.9	564.4	0.1	2,391.6	504.6	0.0
4. Oil refining	13,091.8	7.6	103.3	12,915.5	7.4	103.9	12,849.3	7.5	103.1
5. Electric power and heating	110,061.8	99.9	634.0	101,536.5	111.3	607.8	107,499.1	116.0	622.6
6. Food, beverages and tobacco	6,062.4	93.7	49.0	6,699.1	118.6	53.3	3,788.5	50.0	36.0
7. Paper and printing	5,837.6	64.9	86.1	5,786.2	67.5	86.7	5,283.3	54.3	85.2
8. Chemical industry	11,515.55	192.7	3,022.2	11,132.80	199.0	2,849.1	10,708.78	181.9	2,636.5
9. Metallurgy	14,319.1	93.2	74.6	13,949.8	84.0	73.8	12,017.4	41.3	62.1
10. Remaining industries and construction	60,956.9	266.5	371.2	59,800.7	238.4	369.4	65,186.6	355.9	403.3
11. Transport	99,238.1	165.1	934.4	102,372.5	148.1	956.7	105,789.6	136.0	987.5
12. Trade and remaining services	9,315.3	54.7	45.2	8,351.3	57.8	40.9	8,284.9	58.9	41.5
Economic sectors total	344,530.0	22,123.9	26,881.6	336,784.2	22,010.1	27,250.4	345,923.3	22,204.4	27,764.7
Residential sector	19,692.1	13,222.7	1,414.1	18,130.0	13,823.2	1,401.2	18,460.1	14,369.5	1,440.7
Total emissions	364,222.1	35,346.6	28,295.7	354,914.2	35,833.3	28,651.6	364,383.4	36,573.9	29,205.4

Table A3

Aggregation of the different categories of GHG emission sources.
Source: Own elaboration.

Economic sectors	Categories ^a
1. Agriculture, stockbreeding, forestry and fishing	1.A.4.c. Agriculture, forestry and fishing
2. Coal	4. Agriculture
3. Oil and natural gas	1.A.1.c. Manufacture of solid fuels
4. Oil refining	1.B.1. Fugitive emissions (solid fuels)
5. Electric power and heating	1.B.2. Fugitive emissions (oil and natural gas)
6. Food, beverages and tobacco	1.A.1.b. Oil refining
10. Paper and printing	1.A.1.a. Public service production of electric power and heat
8. Chemical industry	1.A.2.e. Processing of food, beverage and tobacco
	1.A.2.d. Paste, paper and printing
	1.A.2.c. Chemical products
	2.B. Chemical industry
	3. Use of solvents and other products
9. Metallurgy	1.A.2.a. Iron and steel
	1.A.2.b. Non-iron metals
	2.C. Metallurgical production
10. Remaining industries and construction	1.A.2.f. Others
	2.A. Mineral products
11. Transport	1.A.3. Transport
12. Trade and the remaining services	1.A.4.a. Trade and institutional services
Others	
13. Residential sector	1.A.4.b. Residential sector
	6. Treatment and elimination of waste

^a According to the nomenclature of the Common Reporting Format, United Nations [29].

Table A4

Trend estimation of the emission vector for CO₂.
Source: own elaboration.

	Regression	Coefficient of determination (R ²)
1. Agriculture, stockbreeding, forestry and fishing	$Y=0.1608e^{0.015x}$	0.4829
2. Coal	$Y=0.8252x^{0.0488}$	0.2021
3. Oil and natural gas	$Y=0.1651-0.0126x$	0.8206
4. Oil refining	$Y=0.3625-0.027x$	0.9357
5. Electric power and heating	$Y=3.718-0.2175x$	0.8912
6. Food, beverages and tobacco	$Y=0.0649-0.0038x$	0.4797
7. Paper and printing	$Y=0.1563-0.0021x$	0.1056
8. Chemical industry	$Y=0.1226e^{-0.02x}$	0.2555
9. Metallurgy	$Y=0.1975-0.0111x$	0.7612
10. Remaining industries and construction	$Y=0.1131-0.0025x$	0.6598
11. Transport	$Y=1.4282-0.0252x$	0.8968
12. Trade and remaining services	$Y=0.0156e^{-0.046x}$	0.6619

Table A5

Trend estimation of the emission vector for CH₄.
Source: Own elaboration.

	Regression	Coefficient of determination (R ²)
1. Agriculture, stockbreeding, forestry and fishing	$Y=0.3276x^{0.0195}$	0.3772
2. Coal	$Y=0.4837e^{-0.033x}$	0.5893
3. Oil and natural gas	$Y=0.0738-0.009x$	0.9196
4. Oil refining	$Y=0.0002-0.00001x$	0.9188
5. Electric power and heating	$Y=0.0015x^{0.4007x}$	0.8265
6. Food, beverages and tobacco	$Y=0.0008e^{-0.047x}$	0.0894
7. Paper and printing	$Y=0.0018e^{-0.021x}$	0.1090
8. Chemical industry	$Y=0.0017x^{0.941}$	0.4311
9. Metallurgy	$Y=0.0011e^{-0.091x}$	0.2121
10. Remaining industries and construction	$Y=0.0004x^{0.1681}$	0.4726
11. Transport	$Y=0.0035-0.0003x$	0.9976
12. Trade and remaining services	$Y=0.00007x^{0.0921}$	0.8550

monetary unit (0.33 and 0.39 kg of equivalent CO₂/€, respectively) that are much higher than those of the other sectors. The evolution of emissions from this sector over time has not improved, and the emission coefficient for the three gases considered has remained stable over the years studied.

It is also important to highlight the performance of the “Coal” sector, which although has the lowest CO₂ emission level, in 2002 shows a high contamination coefficient (0.76 kg of equivalent CO₂/€) and has increased 12% over the period (2002–2007). In 2002, methane emissions in this sector show a contamination coefficient of 0.44 kg of equivalent CO₂/€ although it has decreased a 11% over the period (2002–2007).

Therefore, the “Agriculture, Stockbreeding, Forestry and Fishing”, “Coal” and “Transport” sectors are candidates for the introduction of technological improvements to bring about greater efficiency in terms of emissions released into the atmosphere. However, given the sources of methane and nitrous oxide in the “Agriculture, Stockbreeding, Forestry and Fishing” sector,

such an improvement will be difficult to achieve. Offsetting the GHG emissions will therefore be necessary by promoting the use of renewable energy sources in production processes; this will involve the use of renewable electricity sources, heat from biomass, or biofuel use in the case of agricultural machinery. Another sector with a potentially significant reduction in emissions is likely to be the “Electric power and heating” sector.

The estimated emission vectors show that the 2020 target of the EU-27 countries will most likely be achieved through reductions in CO₂ emission levels given that reductions in CH₄ and N₂O emission levels are not anticipated. The reason for this is that the sectors responsible for CO₂ emissions have the capacity to incorporate technical measures to reduce emissions of this gas. However, the same cannot be said in relation to the introduction of technological improvements to reduce CH₄ and N₂O emissions. Although the methodology applied in this work is based on the I–O approach using Social Accounting Matrices instead of I–O tables, it follows fixed-coefficient technology and therefore is

Table A6Trend estimation of the emission vector for N₂O.

Source: own elaboration.

	Regression	Coefficient of determination (R ²)
1. Agriculture, stockbreeding, forestry and fishing	$Y=0.398e^{-0.005x}$	0.1772
2. Coal	$Y=0.0054x^{0.042}$	0.2620
3. Oil and natural gas	$Y=0.000007-0.000003\ln x$	0.7128
4. Oil refining	$Y=0.0029-0.0002x$	0.9348
5. Electric power and heating	$Y=0.0227-0.0015x$	0.9687
6. Food, beverages and tobacco	$Y=0.0005-0.00002x$	0.4993
7. Paper and printing	$Y=0.0023-0.00003x$	0.7687
8. Chemical industry	$Y=0.0319-0.003\ln x$	0.5514
9. Metallurgy	$Y=0.001-0.00006x$	0.7030
10. Remaining industries and construction	$Y=0.0007-0.00003\ln x$	0.6057
11. Transport	$Y=0.0143x^{-0.109}$	0.9314
12. Trade and remaining services	$Y=0.00007-0.000003x$	0.7025

likely to be valid only for short term scenarios. As such, the results presented here have a higher predictive value for short periods of time no further distant than the 2020 scenario. Predicting a longer term scenario would require a different approach involving a dynamic general equilibrium or recursive model.

Appendix

See Tables A1–A6 for detail.

References

- [1] Alcántara V, Roca J. Energy and CO₂ emissions in Spain. Methodology of analysis and some results for 1980–90. *Energy Economics* 1995;17(3):221–30.
- [2] Butnar I, Llop M. Composition of greenhouse gas emissions in Spain: an input–output analysis. *Ecological Economics* 2007;61(2–3):388–95.
- [3] Cardenete MA, Fuentes P, y Polo C. Análisis de intensidades energéticas y emisiones de CO₂ a partir de la matriz de contabilidad social de Andalucía del año 2000. *Economía Agraria y Recursos Naturales* 2008;8(2):31–48.
- [4] Cellura M, Longo S, Mistretta M. The energy and environmental impacts of Italian households consumptions: an input–output approach. *Renewable and Sustainable Energy Review* 2011;15(8):3897–908.
- [5] Cellura M, Longo S, Mistretta M. The energy and environmental impacts of Italian households consumptions: an input–output approach. *Renewable and Sustainable Energy Review* 2011;15(8):3897–908; Cellura M, Longo S, Mistretta M. Application of the structural decomposition analysis to assess the indirect energy consumption and air emission changes related to Italian households consumption. *Renewable and Sustainable Energy Review* 2012;156(2):1135–45.
- [6] Díaz A, García E. Base de datos macroeconómicos de España 2011, Ministerio de Economía y Hacienda, Madrid. Available from: www.minhap.gob.es 2011.
- [7] Duarte R, Mainar A, Sánchez-Chóliz J. The impact of household consumption patterns on emissions in Spain. *Energy Economics* 2010;32(1):176–85.
- [8] European Environment Agency (EEA). Annual European Union greenhouse gas inventory 1990–2008 and inventory report 2010. Copenhagen; 2010.
- [9] Eurostat. Eurostat manual of supply, use and input–output tables. Methodologies and working papers, European communities. Luxembourg; 2008.
- [10] Guerra AI, Sancho F. Measuring energy linkages with the hypothetical extraction method: an application to Spain. *Energy Economics* 2010;32(4):831–7.
- [11] Hawdon D, Pearson P. Input–output simulations of energy, environment, economy interactions in the UK. *Energy Economics* 1995;17(1):73–86.
- [12] INE. Instituto Nacional de Estadística. Marco-input–output. Resultados 2000–200, Madrid. (Available from: www.ine.es 2010a).
- [13] INE. Instituto Nacional de Estadística. Cuentas económicas. Cuadros contables 2000–2008, Madrid. (Available from: www.ine.es 2010b).
- [14] International Monetary Fund World economic outlook database. April 2010. Washington; 2010.
- [15] Labandeira X, Labeaga JM. Estimation and control of Spanish energy-related CO₂ emissions: an input–output approach. *Energy Policy* 2002;30(7):597–611.
- [16] Leontief W. Environmental repercussions and the economic structure: an input–output approach. *Review of Economics and Statistics* 1970;52(3):262–71.
- [17] Limmeechokchai B, Suksuntornsiri P. Embedded energy and total greenhouse gas emissions in final consumptions within Thailand. *Renewable and Sustainable Energy Review* 2007;11(2):259–81.
- [18] Machado G, Schaeffer R, Worrell E. Energy and carbon embodied in the international trade of Brazil: an input–output approach. *Ecological Economics* 2001;39(3):409–24.
- [19] Manresa A, Sancho F. Energy intensities and CO₂ emissions in Catalonia: a SAM analysis. *International Journal Environment, Workplace, and Employment* 2004;1(1):91–106.
- [20] Ministry Of The Environment And Rural And Marine Affairs (MMARM). Inventario de emisiones de gases de efecto invernadero de España. 1990–2009. Comunicación a la Secretaría de la Convención Marco sobre Cambio Climático, Madrid; 2011.
- [21] Okushima S, Tamura M. What causes the change in energy demand in the economy? The role of technological change *Energy Economics* 2010;32(3):S41–6.
- [22] Proops JLR, Faber M, Wagenhals G. Reducing CO₂ emissions. A comparative input–output study for Germany and the UK. Berlin: Springer-Verlag; 1993.
- [23] Roca J, Serrano M. Income growth and atmospheric pollution in Spain: an input–output approach. *Ecological Economics* 2007;63(1):230–42.
- [24] Rodríguez C, Llanes G, Cardenete MA. Economic and environmental efficiency using a social accounting matrix. *Ecological Economics* 2007;60(4):774–86.
- [25] Sánchez-Chóliz J, Duarte R. CO₂ emissions embodied in international trade: evidence for Spain. *Energy Policy* 2004;32(18):1999–2005.
- [26] Stone R. A social accounting matrix for 1960. A programme form growth. London: Chapman and Hall; 1962.
- [27] Tarancón MA, Del Rio P. A combined input–output and sensitivity analysis approach to analyse sector linkages and CO₂ emissions. *Energy Economics* 2007;29(3):578–97.
- [28] United Nations (1968). Protocolo de Kioto de la Convención Marco de las Naciones Unidas sobre el cambio climático. 1998.
- [29] United Nations (1968). Framework convention on climate change. Common reporting format. inventory 2006. Spain. Submission 2011 v1.5, Bonn.; 2011.
- [30] Díaz A, García E. Base de datos macroeconómicos de España 2011. Ministerio de Economía y Hacienda, Madrid. Available from: <http://www.minhap.gob.es>.
- [31] Wiedmann T, Lenzen M, Turner K, Barret J. Examining the global environmental impact of regional consumption activities—part 2: review of input–output models for the assessment of environmental impacts embodied in trade. *Ecological Economics* 2007;61(1):15–26.