
On Catalytic P Systems with One Catalyst

Dragoş Sburlan

Faculty of Mathematics and Informatics
Ovidius University of Constanta, Romania
dsburlan@univ-ovidius.ro

Summary. In this paper we address the possibility of studying the computational capabilities of catalytic P systems with one catalyst by the means of iterated finite state transducers. We also give a normal form for catalytic P systems.

1 Introduction

P systems are a computational model introduced by G. Păun in [4]. One of the basic variant considered there was P systems with catalysts and priorities; these systems where shown to be computationally universal. In [2], Sosík and Freund proved that priorities among the rules can be discarded from the model without any loss of computational power. Moreover, it was shown that for extended P systems only one membrane and two catalysts are enough for reaching computational universality. However, the computational power for P systems with only one catalyst was not established. The present paper characterize these systems in terms of iterated finite state transducers hence it converts an open problem from P system framework to an open problem from string rewriting theory. Additionally, a normal form for catalytic P systems is presented.

2 Preliminaries

We assume the reader is acquainted with the basic notions and notations from the formal language theory (see [3] for more details). Here we only recall the definitions and the results which are useful for the present work.

If FL is a family of languages, then NFL denotes the family of length sets of languages in FL. We denote by *REG*, *CF*, *REC*, and *RE* the family of regular, context-free, recursive, and recursively enumerable languages, respectively. It is known that $NREG = NCF \subsetneq NREC \subsetneq NRE$.

2.1 Iterated Finite State Transducers

An *iterated (finite state) sequential transducer* (IFT) is a construct $\gamma = (K, V, q_0, a_0, F, P)$, where K is a finite set of *states*, V is a finite set of symbols (the *alphabet* of γ), $K \cap V = \emptyset$, $q_0 \in K$ is the *initial state*, $a_0 \in V$ is the *starting symbol*, $F \subseteq K$ is the set of *final states*, and P is a finite set of *transition rules* of the form $qa \rightarrow xp$, for $q, p \in K$, $a \in V$, and $x \in V^*$.

For $q, p \in K$ and $u, v, x \in V^*$, $a \in V$, a *direct transition* step of γ is defined as $uqav \vdash uxpv$ if and only if $qa \rightarrow xp \in P$. The reflexive and transitive closure of the relation \vdash is denoted by \vdash^* . In general, for $\alpha, \beta \in V^*$ we say that α *derives* into β and we write $\alpha \Longrightarrow \beta$, if and only if $q_0\alpha \vdash^* \beta p$ for some $p \in K$. By \Longrightarrow^* we denote the reflexive transitive closure of \Longrightarrow . If $q_0\alpha \vdash^* \beta p$ such that $p \in F$, then we write $\alpha \Longrightarrow_f \beta$.

The language generated by γ is $L(\gamma) = \{\beta \in V^* \mid a_0 \Longrightarrow^* \alpha \Longrightarrow_f \beta, \text{ for some } \alpha \in V^*\}$.

If for each pair $(q, a) \in K \times V$, there is at most one transition rule $qa \vdash xp \in P$, then γ is called *deterministic* (otherwise, it is called *nondeterministic*). The family of languages generated by nondeterministic IFTs with at most $n \geq 1$ states is denoted by IFT_n . It is known from [1] that $CF \subset IFT_2 \subseteq IFT_3 \subseteq IFT_4 = RE$. Moreover, there are non-semilinear languages belonging to IFT_2 , and there are non-recursive languages belonging to IFT_3 . Consequently, if we denote by $NIFT_n$, $n \geq 1$, the family of length sets of languages from IFT_n , then we have that $NREG = NCF \subsetneq NIFT_2 \subseteq NIFT_3 \subseteq NIFT_4 = NRE$.

2.2 Membrane Systems

A *catalytic P system* of degree $m \geq 1$ is a construct

$$\Pi = (O, C, \mu, w_1, \dots, w_m, R_1, \dots, R_m, i_0)$$

where

- O is an alphabet of *objects*;
- $C \subseteq O$ is the set of *catalysts*;
- μ is a hierarchical tree structure of $m \geq 1$ uniquely labelled *membranes* (which delimit the regions of Π); typically, the set of labels is $\{1, \dots, m\}$;
- $w_i \in O^*$, for $1 \leq i \leq m$, are the multisets of objects initially present in the m regions of μ ;
- R_i , $1 \leq i \leq m$, are finite sets of *evolution rules*; these rules can be *non-cooperative* $a \rightarrow v$ or *catalytic* $ca \rightarrow cv$, where $a \in O \setminus C$, $v \in ((O \setminus C) \times \{\text{here, out, in}\})^*$, and $c \in C$;
- $i_0 \in \{1, \dots, m\}$ is the label of the *output region* of Π .

A *configuration* of Π is a vector $C = (\alpha_1, \dots, \alpha_m)$, where $\alpha_i \in O^*$, $1 \leq i \leq m$, is a multiset of objects present in the region i of Π . The vector $C_0 = (w_1, \dots, w_m)$ is the *initial configuration* of Π . Starting from the initial configuration and always applying in all membranes a maximal multiset of evolution rules in parallel, one

gets a sequence of consecutive configurations. By \Rightarrow is denoted the *transition* between two consecutive configurations. A sequence (finite or infinite) of transitions starting from C_0 represents a *computation* of Π . A computation of Π is a halting one if no rules can be applied to the last configuration (the *halting configuration*). The result of a halting computation is the number of objects from O contained in the output region i_0 , in the halting configuration. A non-halting computation yields no result. By collecting the results of all possible halting computations of a given P system Π , one gets $N(\Pi)$ – the set of all natural numbers generated by Π . The family of all sets of numbers computed by catalytic P systems with at most m membranes and k catalysts is denoted by $NO_{P_m}(cat_k)$. The above definition can be relaxed such that in a halting configuration one counts only the symbols from a given alphabet $\Sigma \subseteq O$. In particular, one can consider $\Sigma = O \setminus C$; correspondingly, the family of all sets of numbers computed by such particular P systems will be denoted by $NO_{-C}P_m(cat_k)$.

It is known (see [7], for instance) that $NO_{-C}P_m(cat_k) = NO_{-C}P_1(cat_k)$. Moreover, in [2] it is shown that $NO_{-C}P_1(cat_2) = NRE$.

3 A Normal Form for P Systems with Catalysts

The following result states that any catalytic P system is equivalent with a catalytic P system having a restriction on the form of the rules.

Theorem 1. *For any P system Π with catalysts there exists an equivalent P system $\bar{\Pi}$ with one region and whose rules are of the form $a \rightarrow \alpha$, with $|\alpha| \leq 2$, or $ca \rightarrow c\beta$, with $|\beta| \leq 1$.*

Proof. As we already stated in Section 2.2, for any P system with catalysts and $n > 1$ membranes one can construct an equivalent P system with the same number of catalysts and one membrane. Consequently, without loss of generality, we might assume that Π has only one membrane, that is $\Pi = (O, C, []_1, w_1, R_1, i_0)$.

Let $O \setminus C = \{a_1, a_2, \dots, a_p\}$ and let $m = \max\{|\alpha| \mid a \rightarrow \alpha \in R_1 \text{ or } ca \rightarrow c\alpha \in R_1\}$. In addition, assume for our convenience that the rules of Π are labeled in an unique manner with numbers from the set $\{1, \dots, \text{card}(R_1)\}$.

Then one can construct an equivalent P system $\bar{\Pi} = (\bar{O}, C, []_1, w_1, \bar{R}_1, i_0)$ where

$$\begin{aligned} \bar{O} &= O \cup \{a_{(i,j)} \mid 1 \leq i \leq p, 1 \leq j \leq m\} \\ &\cup \{X_{(i,j)} \mid i : a \rightarrow \alpha_i \in R_1, 1 \leq j \leq m - 2\}. \end{aligned}$$

The set \bar{R}_1 is defined as follows (for the simplicity of the explanations, we will only consider the rules in \bar{R}_1 that are useful for simulating a non-cooperative rule from R_1 ; the rules corresponding to a catalytic rule are defined similarly, therefore we will not present them here). Let $i : a \rightarrow a_{j_1}a_{j_2} \dots a_{j_k} \in R_1$ and let $m - k = t$. Then we add to \bar{R}_1 the rules:

$$\begin{aligned}
 a &\rightarrow X_{(i,1)} & (1) \\
 X_{(i,1)} &\rightarrow X_{(i,2)} \\
 &\dots \\
 X_{(i,t-1)} &\rightarrow X_{(i,t)}
 \end{aligned}$$

$$\begin{aligned}
 X_{(i,t)} &\rightarrow a_{(j_1,k-1)}X_{(i,t+1)} & (2) \\
 X_{(i,t+1)} &\rightarrow a_{(j_2,k-2)}X_{(i,t+2)} \\
 &\dots \\
 X_{(i,t+k-3)} &\rightarrow a_{(j_{k-2},2)}X_{(i,t+k-2)} \\
 X_{(i,t+k-2)} &\rightarrow a_{(j_{k-1},1)}a_{(j_k,1)}
 \end{aligned}$$

$$\begin{aligned}
 a_{(i,m)} &\rightarrow a_{(i,m-1)} & (3) \\
 a_{(i,m-1)} &\rightarrow a_{(i,m-2)} \\
 &\dots \\
 a_{(i,1)} &\rightarrow a_i
 \end{aligned}$$

The proof is based on the existence of the universal global clock that governs the functioning of the P system (the clock marks equal time units for the whole system, hence synchronization is possible). While trying to simulate the application of an arbitrary non-cooperative rule with several rules of type $a \rightarrow \alpha$, with $|\alpha| \leq 2$, one has to accomplish two conditions. Firstly, one has to guarantee that all the objects from α will eventually be produced. Secondly, these objects must be produced at the “proper” time: all of them in the same moment (a local synchronization) and according with the simulation of other rules that were started at the same time with $a \rightarrow \alpha$ (a global synchronization).

Consequently, the rules presented above are grouped according with their function in the simulation. The first group represents a set of “delaying” rules (they are used while simulating the rules with a shorter right hand side in order to synchronize their executions with those that have the longest right hand side). These rules are “chained”, hence, starting from an object a , an object $X_{(i,t)}$ is produced in exactly t computational steps. The second group is responsible for producing in consecutive computational steps the objects $a_{(j_1,k-1)}, a_{(j_2,k-2)}, \dots, a_{(j_{k-1},1)}, a_{(j_k,1)}$ (in order of their production, the last two being produced in the same time). For an object $a_{(i,l)}$ in this sequence, the index l represents the number of computational steps that \bar{II} will perform, starting from its production and until the object a_i is produced (see the third group of rules). Finally, one can remark that the objects $a_{j_1}, a_{j_2}, \dots, a_{j_k}$ are produced in the same computational step by \bar{II} (while simulating the rule $i : a \rightarrow a_{j_1}a_{j_2} \dots a_{j_k} \in R_1$). Moreover, all the other rules from \bar{II} that stated at the same moment as $i : a \rightarrow a_{j_1}a_{j_2} \dots a_{j_k}$, are simulated in the same manner by \bar{II} and their output is produced in the same computational step as mentioned above. Consequently \bar{II} correctly simulates any computation of \bar{II} , hence the theorem holds true.

4 Catalytic P Systems with One Catalyst and IFTs

In what follows we prove that the family of sets of numbers computed by catalytic P systems with only one catalyst is included in the family of the length sets of the languages generated by iterated finite state transducers with at most 3 states.

Theorem 2. $NIFT_3 \supseteq NOP_1(cat_1)$.

Proof. Given an arbitrary catalytic P system $\Pi = (O, C, w_1, R_1, i_1)$ such that $C = \{c\}$, then one can construct an iterated finite transducer $\gamma = (K, V, q_0, a_0, F, P)$ which simulates Π as follows.

Without loss of generality we assume that the initial configuration of Π is $w_1 = ca_0$.

Let $w = a_1a_2 \dots a_m$ be a string. We denote by

$$\text{Perm}(w) = \{a_{i_1}a_{i_2} \dots a_{i_m} \mid 1 \leq i_j \leq m, 1 \leq j \leq m, \text{ with } i_j \neq i_l, 1 \leq j, l \leq m\}$$

the set of all permutations of string w , i.e., the set of all strings that can be obtained from w by changing the order of symbols.

In addition, let us consider the following sets of objects from O :

$$X = \{A \in O \mid (\exists) A \rightarrow \alpha \in R_1 \text{ and } (\exists) cA \rightarrow c\beta \in R_1\};$$

$$Y = \{A \in O \mid (\exists) A \rightarrow \alpha \in R_1 \text{ and } cA \rightarrow c\beta \in R_1\};$$

$$Z = \{A \in O \mid (\exists) cA \rightarrow c\alpha \in R_1 \text{ and } (\exists) A \rightarrow \beta \in R_1\};$$

$$T = \{A \in O \mid (\exists) A \rightarrow \alpha \in R_1 \text{ and } (\exists) cA \rightarrow c\beta \in R_1\}.$$

One can remark that $O = X \cup Y \cup Z \cup T \cup \{c\}$.

Based on the above settings the IFT γ is defined as follows:

$$K = \{q_0, q_1, q_2\},$$

$$V = O \setminus \{c\},$$

$$F = \{q_0\},$$

and the set of rules P is constructed in the following manner:

- for any $a \in T$ we add to P the rule $q_0a \rightarrow aq_0$;
- for any $a \in X \cup Y$ and $a \rightarrow \alpha \in R_1$ we add to P the rules $q_0a \rightarrow \bar{\alpha}q_1$, where $\bar{\alpha} \in \text{Perm}(\alpha)$;
- for any $a \in T$ we add to P the rule $q_1a \rightarrow aq_1$;
- for any $a \in X \cup Y$ and $a \rightarrow \alpha \in R_1$ we add to P the rules $q_1a \rightarrow \bar{\alpha}q_1$, where $\bar{\alpha} \in \text{Perm}(\alpha)$;
- for any $a \in Y \cup Z$ and $ca \rightarrow c\alpha \in R_1$ we add to P the rules $q_1a \rightarrow \bar{\alpha}q_2$, where $\bar{\alpha} \in \text{Perm}(\alpha)$;
- for any $a \in T \cup Z$ we add to P the rule $q_2a \rightarrow aq_2$;
- for any $a \in X \cup Y$ and $a \rightarrow \alpha \in R_1$ we add to P the rules $q_2a \rightarrow \bar{\alpha}q_2$, where $\bar{\alpha} \in \text{Perm}(\alpha)$;

- for any $a \in Y \cup Z$ and $ca \rightarrow c\alpha \in R_1$ we add to P the rules $q_0a \rightarrow \bar{\alpha}q_2$, where $\bar{\alpha} \in \text{Perm}(\alpha)$.

The construction was designed such that each string processed by γ during its computation will correspond to a configuration of Π . Moreover, one iteration of γ simulates the maximal parallel applications of the rules of Π .

If the current string (say w) processed by the IFT is composed only by the symbols from T , then γ remains in $q_0 \in F$ and stops, accepting the string. This situation corresponds to the halting configuration of Π (that is, Π contains in its region the multiset cw and no rules can be further applied).

In case w contains symbols from $X \cup Y \cup Z$, then γ starts the simulation of the maximal parallel applications of the rules of Π . Since γ processes strings at each iteration, then the simulation of Π has to accomplish the following task: all the symbols which are the subject of a rule of Π have to be processed also by γ . Recall that γ processes strings and in these strings there might be symbols from T (which are not the subject of any rule) in any position. Consequently, one has to be sure that any symbol in a configuration of Π that is a subject of a rule (non-cooperative or catalytic) has to have the opportunity to be rewritten in the corresponding string processed by γ (by the corresponding rule). This is why, γ uses the rules $q_i a \rightarrow aq_i$ for $q_i \in Q$, $1 \leq i \leq 3$, and $a \in T$ (that is, while processing the string, γ "skips" all the symbols that are not the subject of any rule).

In one iteration of γ one can apply at most once a rule corresponding to a catalytic rule of Π (recall that the P system functioning semantics define such behaviour). More precisely, assuming that w is the current processed string, we have

- either γ is in state q_0 and executes a rule of type $q_0a \rightarrow \bar{\alpha}q_2$ for $q_1, q_2 \in Q$, $a \in Y \cup Z$, $ca \rightarrow c\alpha \in R_1$, and $\bar{\alpha} \in \text{Perm}(\alpha)$. This situation occurs when γ processes $w = w_1aw_2$, $w_1 \in T^*$, and $w_2 \in (X \cup Y \cup Z \cup T)^*$ (w has the prefix w_1 composed only by symbols from T , followed by the symbol $a \in Y \cup Z$ that triggers the simulation of the catalytic rule; the symbols from w_2 that belong to $X \cup Y$ will trigger only the simulation of the non-cooperative rules).
- either γ is in state q_1 and executes a rule of type $q_1a \rightarrow \bar{\alpha}q_2$ for $q_1, q_2 \in Q$, $a \in Y \cup Z$, $ca \rightarrow c\alpha \in R_1$, and $\bar{\alpha} \in \text{Perm}(\alpha)$. This situation occurs when γ processes $w = w_1aw_2$, where w_1 is described by the regular expression $T^*(X|Y)(X|Y|T)^*$, $w_2 \in (X \cup Y \cup Z \cup T)^*$ (the symbols from w_1 and w_2 that belong to $X \cup Y$ will trigger only the simulation of the non-cooperative rules).

One can also remark that if a configuration w of Π contains at least one object $a \in Z$, then in the current computational step a catalytic rule will be executed (because of the maximal parallel applications of the rules); in contrary, if w does not contain any symbol $a \in Z$ then it is not guaranteed that a catalytic rule will be executed (even if w contains symbols from Y , then, because of the nondeterminism, it might happen that all the rules selected for application are non-cooperative). On the other hand, γ simulates Π by processing strings (hence the order of symbols is precisely defined). The design of γ guarantees that, if

applicable, a rule corresponding to a catalytic rule of Π is executed at most once. The only issue that could appear regards the presence of multiple symbols from $Y \cup Z$ in the current string processed by γ (in order to perform a correct simulation, one has to be sure that any of these symbols has a "chance" to be rewritten). This is why for any rule $a \rightarrow \alpha \in R_1$ or $ca \rightarrow c\alpha \in R_1$, the IFT γ will use for the simulation a set of rules of the type $qa \rightarrow p\text{Perm}(\alpha)$.

Based on the above theorem, the following result holds true.

Corollary 1. *If $NIFT_3 \subset NRE$ then $NOP_1(\text{cat}_1) \subset NRE$*

5 Conclusions

In this paper we gave a normal-form theorem for catalytic P systems. We also investigated the relation between P systems with one catalyst and iterated finite transducers. This last topic is of a particular interest because it converts an open problem from the P system framework to an open problem from the string rewriting theory. In addition, the simplicity of the construction gives hopes for solving an open problem stated from the introduction of P systems.

Acknowledgements

The work of the author was supported by the CNCSIS IDEI-PCE grant, no. 551/2009, Romanian Ministry of Education, Research and Innovation.

References

1. Bordihn H., Fernau H., Holzer M., Manca V., Martin-Vide C., Iterated Sequential Transducers as Language Generating Devices, *Theoretical Computer Science*, 369, 1 (2006), pp. 67–81.
2. Freund R., Kari L., Oswald M., Sosik P., Computationally Universal P Systems Without Priorities: Two Catalysts Are Sufficient, *Theoretical Computer Science*, 330, 2 (2005), pp. 251–266.
3. Rozenberg G., Salomaa A., eds., *Handbook of Formal Languages*, 3 volumes, Springer-Verlag, Berlin, 1997.
4. Păun G., Computing with Membranes: an Introduction. *Bulletin EATCS*, 67 (1999), pp. 139–152.
5. Păun G., *Membrane Computing. An Introduction*, Springer-Verlag, Berlin, 2002.
6. Păun G., Rozenberg G., Salomaa A., eds., *The Oxford Handbook of Membrane Computing*, Oxford University Press Inc., New York, 2010.
7. Sburlan D., Further Results on P Systems with Promoters/Inhibitors, *International Journal of Foundations of Computer Science*, 17 (2006), pp. 205–221.

