



# SPORT EKSPERT

Stručni časopis iz oblasti tjelesnog odgoja i sporta

Vol.2, No.2, 2009



[www.sportekspert-upfk.com](http://www.sportekspert-upfk.com)



ISSN: 1840 - 3638

---

STRUČNI ČASOPIS IZ OBLASTI TJELESNOG ODGOJA I SPORTA  
JOURNAL OF APPLIED PHYSICAL EDUCATION AND SPORT

---

**[www.sportekspert-upfk.com](http://www.sportekspert-upfk.com)**



ISSN: 1840 – 3638 (print)

ISSN: 1840 – 4553 (online)

COBISS.BH – ID 16802310

Indexed in: COBISS.BH ([http:// www.cobis.ba](http://www.cobis.ba))

Indeks Copernicus (<http://www.journals.indexcopernicus.com>)

EBSCO (<http://www.ebscohost.com>)



# SPORTEKSPERT



Izdavač **UDRUŽENJE PROFESORA I STRUČNIH LICA U OBLASTI FIZIČKE KULTURE I SPORTA KANTONA SARAJEVO**  
Published by **ASSOCIATION OF PROFESSORS AND EXPERTS IN PHYSICAL EDUCATION AND SPORT, CANTON SARAJEVO**

Za izdavača **Admir Šuvalić**  
For the publisher **upfk@hotmail.com**

Predsjednik stručnog odbora **Muriz Hadžikadunić**  
President of the Professional Board **hadzikadunic@fasto.unsa.ba**

Glavni i odgovorni urednik **Senad Turković**  
Editor-in-Chief **glavniuredniksenad@gmail.com**

Izvršni urednik za regiju Kantona **Admir Hadžikadunić**  
Sarajevo **izvrсни.urednik@gmail.com**  
Executive editor for the Canton **Vahida Kozić**  
Sarajevo **tehnicki.urednik@gmail.com**

Izvršni urednik za regiju Grada **Gorana Tešanović**  
Banja Luka **izvrсни.urednik.banjaluka@gmail.com**  
Executive Editor for the region of  
Banja Luka

**Redakcijski odbor**  
Editorial Board

Erko Solaković, Sarajevo, Bosnia and Herzegovina  
Vrcić Mensur, Sarajevo, Bosnia and Herzegovina  
Admir Hadžikadunić, Sarajevo, Bosnia and Herzegovina  
Vahida Kozić, Sarajevo, Bosnia and Herzegovina  
Mirza Ramić, Sarajevo, Bosnia and Herzegovina  
Nezirović Mirza, Sarajevo, Bosnia and Herzegovina  
Alija Džananović, Sarajevo, Bosnia and Herzegovina  
Midhat Haseta, Sarajevo, Bosnia and Herzegovina  
Rijad Novaković, Mostar, Bosnia and Herzegovina  
Nedim Salčin, Sarajevo, Bosnia and Herzegovina

Admir Šuvalić, Sarajevo, Bosnia and Herzegovina  
Denis Muhović, Sarajevo, Bosnia and Herzegovina  
Almir Atiković, Tuzla, Bosnia and Herzegovina  
Amra Nožinović, Tuzla, Bosnia and Herzegovina  
Gorana Tešanović, Banja Luka, Bosnia and Herzegovina  
Saša Jovanović, Banja Luka, Bosnia and Herzegovina  
Zlatko Babić, Banja Luka, Bosnia and Herzegovina  
Željko Sekulić, Banja Luka, Bosnia and Herzegovina  
Damjan Jakšić, Novi Sad, Serbia  
Natalija Jenei, Novi Sad, Serbia

**Recenzentski odbor**  
Advisory Board

Muriz Hadžikadunić, Sarajevo, Bosnia and Herzegovina  
Jasna Bajraktarević, Sarajevo, Bosnia and Herzegovina  
Muhamed Tabaković, Sarajevo, Bosnia and Herzegovina  
Senad Turković, Sarajevo, Bosnia and Herzegovina  
Elvir Kazazović, Sarajevo, Bosnia and Herzegovina  
Petar Pavlović, Banja Luka, Bosnia and Herzegovina  
Goran Bošnjak, Banja Luka, Bosnia and Herzegovina  
Proko Dragosavljević, Banja Luka, Bosnia and Herzegovina  
Predrag Dragosavljević, Banja Luka, Bosnia and Herzegovina  
Slobodan Simović, Banja Luka, Bosnia and Herzegovina  
Nijaz Skender, Bihac, Bosnia and Herzegovina

Mirjana Mađarević, Zenica, Bosnia and Herzegovina  
Zumreta Nožinović, Tuzla, Bosnia and Herzegovina  
Mihajlo Mijanović, Niksic, Montenegro  
Rašid Hadžić, Niksic, Montenegro  
Ilona Mihajlović, Novi Sad, Serbia  
Bujar Turjaku, Pristine, Kosovo  
Hasim Rushiti, Pristine, Kosovo  
Goran Nikovski, Skopje, Macedonia  
Ivan Anastasovski, Skopje, Macedonia  
Roman Baka, Gdansk, Poland  
Franc Cankar, Ljubljana, Slovenia  
Balint Gheorghe, Bacău, România  
Ochiană Nicolae, Bacău, România

**Počasni odbor**  
Honorary Board

Bajro Grozdanić, Bosnia and Herzegovina  
Mustafa Demir, Bosnia and Herzegovina  
Živorad Torlić, Bosnia and Herzegovina

Meho Smajić, Bosnia and Herzegovina  
Asim Omerović, Bosnia and Herzegovina

**Adresa uredništva u Sarajevu**  
Editorial Address in Sarajevo

**SPORTEKSPERT**  
Udruženje profesora i stručnih lica u oblasti fizičke kulture i sporta Kantona Sarajevo  
Associations of professors and experts in physical education and sport, Canton Sarajevo, Bosnia and Herzegovina  
Mis Irbina br. 10  
71000 Sarajevo  
Tel/fax +387 33 / 223 – 144, +387 62 226 – 070  
izvrсни.urednik@gmail.com

**Adresa uredništva u Banja Luki**  
Editorial Address in Banja Luka

Đure Daničića br.2  
78000 Banja Luka  
Bosnia and Herzegovina  
+387 5134 82 04  
izvrсни.urednik.banjaluka@gmail.com

Lektor Prijevod sažetaka Text proofing and translation	Fuada Muslić
Prijepis, kompjuterska priprema, korektura Typewriting, and computer layout	Admir Hadžikadunić
DTP i dizajn DTP and desing	Emir Solak
Tiraž Copies	250 primjeraka 250 copies
Štampa Printed by	TOP LIDER d.o.o. Sarajevo

Sportekspert je časopis koji se štampa dva puta godišnje na bosanskom jeziku uz sažetke na engleskom jeziku, ili na drugim jezicima u dogovoru sa uredništvom časopisa. Časopis objavljuje stručne članke iz oblasti tjelesnog odgoja i sporta.

Sportekspert is journal of applied sport and physical education published twice a year in Bosnian language with English abstract. Journal publishes physical education and sport applied articles.

TEKSTOVI ČASOPISA SU DOSTUPNI NA: <http://sportekspert-upfk.com>  
FULL TEXT VERZION AVAILABLE: <http://sportekspert-upfk.com>

## Sadržaj/ contents

<p>PROGRAM RADA NOGOMETNIH ŠKOLA FSŠ BUBAMARA (BIH), PSV (HOLANDIJA) I BETIS (ŠPANIJA)          WORK PROGRAM OF FOOTBALL SCHOOLS BUBAMARA (BIH), PSV EINDHOVEN (NETHERLANDS) AND BETIS (SPAIN)          Mirza Ramić, Fudbalska sportska škola BetaClub, OŠ Grbavica II, Sarajevo</p>	<b>7</b>
<p>BADMINTON KAO NOVI MODEL ORGANIZACIJE ČASA FIZIČKOG VASPITANJA          BADMINTON AS A NEW MODEL OF ORGANIZATION OF PHYSICAL EDUCATION LESSON          Gorana Tešanović, Osnovna škola "Branislav Nušić" Banja Luka          Zlatko Babić, Tehnička škola, Banja Luka          Goran Bošnjak, Fakultet fizičkog vaspitanja i sporta, Banja Luka</p>	<b>14</b>
<p>PRIMJENA VORTEXA KAO ZAMJENSKOG REKVIZITA U TRENAŽNOM PROCESU MLADIH BACAČA KOPLJA          APPLICATION OF A VORTEX AS REQUISITES REPLACEMENT IN THE TRAINING PROCESS OF YOUNG JAVELIN THROWER          Gorana Tešanović, Osnovna škola "Branislav Nušić" Banja Luka          Goran Bošnjak, Fakultet fizičkog vaspitanja i sporta, Banja Luka</p>	<b>18</b>
<p>PRIMJENA SPECIFIČNIH VJEŽBI IZ ATLETIKE U PRIPREMI MLADIH PLESAČA QUICKSTEPSA          APPLICATION SPECIFIC EXERCISE OF ATHLETICS IN PREPARATION OF YOUNG QUICKSTEP DANCERS          Saša Jovanović, Fakultet fizičkog vaspitanja i sporta, Banja Luka          Gorana Tešanović, Osnovna škola "Branislav Nušić" Banja Luka          Snežana Bijelić, Fakultet fizičkog vaspitanja i sporta, Banja Luka</p>	<b>22</b>
<p>OCJENJIVANJE UČENIKA U NASTAVI TJELESNOG I ZDRAVSTVENOG ODGOJA          ASSESSMENT OF STUDENTS IN TEACHING PHYSICAL AND HEALTH EDUCATION          Rijad Novaković, Gimnazija Mostar</p>	<b>27</b>
<p>SPECIFIČNOSTI SHORT TRACKA          SPECIFICATIONS OF SHORT TRACK          Aleksandra Đanešić, Srednja medicinska škola – «Jezero», Sarajevo</p>	<b>30</b>
<p>TAKMIČARSKA FORMA ALPSKIH SKIJAŠA U DJEČIJEM UZRASTU          COMPETITORS FORM OF SKIERS IN CHILDREN'S AGE          Rašid Hadžić, Fakultet za sport i fizičko vaspitanje, Nikšić          Saša Radosav, Fakultet za sport i fizičko vaspitanje, Novi Sad          Aleksandar Joksimović, Fakultet za sport i fizičko vaspitanje, Niš</p>	<b>33</b>
<p>SAVREMENI METODSKI PRISTUP U OBUCI KLINASTOG ZAVOJA          CONTEMPORARY METHODOLOGICAL APPROACH IN WEDGED CURVE TRAINING          Nermin Nurković, Fakultet sporta i tjelesnog odgoja, Sarajevo          Mirza Nezirović, Fakultet sporta i tjelesnog odgoja, Sarajevo</p>	<b>35</b>
<p>STAV PREMA SPORTU I SAMOPOŠTOVANJE U MLAĐEM ŠKOLSKOM UZRASTU          ATTITUDE TOWARDS SPORTS AND SELF-ESTEEM IN JUNIOR SCHOOL AGE          Natalija Jeñei, Fakultet sporta i fizičkog vaspitañja, Novi Sad</p>	<b>40</b>
<p>METRIJSKE KARAKTERISTIKE TESTOVA ZA PROCJENU PRECIZNOSTI          METRICS' CHARACTERISTICS OF TESTS FOR ESTIMATION OF ACCURACY          Mihajlo Mijanović, Fakultet fizičke kulture i sporta, Bañja Luka          Mileñko Vojvodić, Fakultet fizičke kulture i sporta, Bañja Luka</p>	<b>45</b>
<p>VAŽNOST PSIHOLOŠKE PRIPREMLJENOSTI SPORTISTKINJA U GIMNASTICI          THE IMPORTANCE OF PSYCHOLOGICAL READINESS OF FEMALE ATHLETES IN GYMNASTICS          Natalija Jeñei, Fakultet sporta i fizičkog vaspitañja, Novi Sad</p>	<b>50</b>

A NEW CONCEPT IN THE DESIGN OF TEACHING - LEARNING - ASSESSMENT OF MOTION SKILL IN PRESCHOOL NOVI KONCEPT U DIZAJNIRANJU PODUČAVANJU - UČENJU - OCJENJIVANJU VJEŠTINE POKRETA U PREDŠKOLSKOM UZRASTU Baliñt Nela Tatiaña Vasile Alecsañdri" Uñiversity from Bacau - Faculty of Movement, Sport and Health Sciences - Romãña	<b>53</b>
DYNAMIC GAMES - AN ALTERNATIVE TO OPTIMIZE PHYSICAL EDUCATION LESSON WITH FOOTBALL THEMES IN SECONDARY EDUCATION DINAMIČKE IGRE – ALTERNATIVA ZA OPTIMIZIRANJE NASTAVNE JEDINKE NOGOMET NA ČASOVIMA TJELESNOG ODGOJA U SREDNJOŠKOLSKOM OBRAZOVANJU Baliñt Gheorghe, Mârza Dãñilã Dãñuñ Nicu Vasile Alecsañdri" Uñiversity from Bacau - Faculty of Movement, Sport and Health Sciences - Romãña	<b>59</b>
PSYCHOLOGICAL PROFILE OF THE SELECTION AND ORIENTATION MODEL IN COMPETITIVE AEROBIC GYMNASTICS PSIHOLOŠKI PROFIL MODELA SELEKCIJE I ORIJENTACIJE KOD TAKMIČARSKE AEROBIK GIMNASTIKE Dobrescu Tatiaña Vasile Alecsañdri" Uñiversity from Bacau - Faculty of Movement, Sport and Health Sciences - Romãña	<b>65</b>
RELATIONS BETWEEN EXPLOSIVE AND REPETITIVE STRENGTH AND DIFFERENT GYMANSTIC ELEMENTS ODNOSI IZMEĐU EKSPLOZIVNE I REPETITIVNE SNAGE I RAZLIČITIH GIMNASTIČKIH ELEMENATA Besim Halilaj, Fakultet za fizičku kulturu, Prištiña Shemsediñ Vehapi, Fakultet za fizičku kulturu, Prištiña	<b>69</b>
ACUTE IMPROVEMENTS IN JUMP ABILITY IN YOUNG RECREATIONAL SPORTMEN AFTER A WHOLE BODY VIBRATION TRAINING POBOLJŠANJE SPOSOBNOSTI SKOKA KOD MLADIH REKREATIVACA NAKON WHOLE BODY VIBRATION TRENINGA Moisés de Hoyo Lora; Borja Sa udo Corrales; Luis Carrasco Páez, Inmaculada Martíñez Díaz; Nicolae Ochiaña Research Group Hum - 507: "Physical Educatioñ, Health and Sport" Uñiversity of Seville Moisés de Hoyo Lora; Borja Sa udo Corrales; Luis Carrasco Páez, Inmaculada Martíñez Díaz; Nicolae Ochiaña Istraživačka grupa Hum-507: "Tjelesñi odgoj, zdravlje i sport" Uñiverzitet Seville	<b>74</b>
UTJECAJ NEKIH FUNKCIONALNIH SPOSOBNOSTI NA REZULTATSKU USPJEŠNOST U PLIVANJU KOD MLADIH PLIVAČA REPREZENTATIVACA BIH CONTRIBUTION OF SOME FUNCTIONAL ABILITIES IN ACHIEVING SUCCESSFUL RESULTS IN SWIMMING IN YOUTH BIH NATIONAL TEAM MEMBERS Almir Popo, Nastavnički fakultet, Uñiverzitet " Džemal Bijedić", Mostar Damir Đedović, Sportski savez grada Mostara	<b>77</b>
EXERCISE PRACTICE, FOOD INTAKE HABITS AND CARDIOVASCULAR RISK FACTORS IN COLLEGE STUDENTS. A PRELIMINARY STUDY. Inmaculada C Martínez Díaz <sup>1</sup> , Luis Carrasco Páez <sup>1</sup> , Borja Sañudo Corrales <sup>1</sup> , Moisés de Hoyo Lora <sup>1</sup> , Nicolae Ochiana <sup>2</sup> <sup>1</sup> Department of Physical Education and Sport. University of Seville. Spain. <sup>2</sup> Faculty of Sport, Movement and Health Science. University of Bacau. Romania.	<b>81</b>
NASILJE MEĐU DJECOM Mirsada Jagañjac, pedagog – psiholog OŠ «Isak Samokovlija», Sarajevo	<b>85</b>
UPUTE ZA AUTORE INSTRUCTION TO AUTHORS	<b>89</b>

## ACUTE IMPROVEMENTS IN JUMP ABILITY IN YOUNG RECREATIONAL SPORTSMEN AFTER A WHOLE BODY VIBRATION TRAINING

### POBOLJŠANJE SPOSOBNOSTI SKOKA KOD MLADIH REKREATIVACA NAKON WHOLE BODY VIBRATION TRENINGA

Moisés de Hoyo Lora; Borja Sañudo Corrales; Luis Carrasco Páez,  
Inmaculada Martínez Díaz; Nicolae Ochiana

Research Group Hum - 507: "Physical Education,  
Health and Sport" University of Seville

Moisés de Hoyo Lora; Borja Sañudo Corrales; Luis Carrasco Páez,  
Inmaculada Martínez Díaz; Nicolae Ochiana

Istraživačka grupa Hum-507: "Tjelesni odgoj, zdravlje i sport"  
Univerzitet Seville

#### **Sažetak:**

Whole body vibrations (WBV) je danas najrasprostranjeniji metod za poboljšanje eksplozivne snage. U ovom istraživanju je učestvovalo 10 ispitanika koji su u toku rekreativne fizičke aktivnosti imali pet setova vježbi od 60 sekundi, koristeći frekvenciju od 30 Hz, amplitudu od 2 mm i izometrijske pozicije (110 ° savijena koljena) na Galileo Fitness ® platformi (Novotech, Njemačka). Rezultat je pokazao povećanje SJ (+1.85 ± 3.85 cm) i CMJ (+1.22 ± 3.35 cm) post-testa odmah nakon vibracije. Vrijednost post-testa prikazana 30 minuta nakon skoka iz čučnja je iznad vrijednosti kod pre-testa, ali i ispod vrijednosti neposredno kod post-testa (+0.51 ± 4.37 cm). Kao kontrast, vrijednost counter-movement skoka pada ispod vrijednosti pre-testa (-0.15 ± 2.36 cm). Na osnovu ovih podataka, kada frekvencija nije visoka, čini se da je potrebno koristiti veću amplitudu radi postizanja željenih efekata. Efekt postignut nakon vibracije je prolazan i ne zadržava se nakon 30 minuta.

**Ključne riječi:** Whole body vibration (WBV), counter-movement jump (CMJ), squat jump (SJ), eksplozivna snaga

#### **Abstract:**

The whole body vibrations (WBV) it is nowadays one of the most widely used methods for improving the explosive strength. In this study, 10 subjects participating in recreational physical activity were allocated to a 5 sets of 60 s training, using a frequency of 30 Hz, an amplitude of 2 mm and a isometric position (110 ° bending knees) on a Galileo Fitness ® (Novotech, Germany) platform. The results showed an increase in SJ (+1.85 ± 3.85 cm) and CMJ (+1.22 ± 3.35 cm) in the post-test conducted just after the vibration. The values of the post-test performed 30 minutes after the squat jump remained above the ones of pre-test but just below the ones of the immediate post-test (+0.51 ± 4.37 cm). By contrast the values in the counter movement jump drop below the pre-test ones (-0.15 ± 2.36 cm). Based on these data it seems that when the frequency is not high it is necessary to use a greater amplitude in order to achieve the desired effects. The effect achieved after the vibration is transient, not remaining after 30 min.

**Key words:** Whole body vibrations (WBV), Counter-Movement Jump (CMJ), Squat jump (SJ), Explosive Strength.



## Introduction

Whole body vibration (WBV) is nowadays one of the main lines of research due to the multiple possible effects on the body (Cardinale and Bosco, 2003). Some studies have shown how the exposure to low amplitude and high frequency vibration can improve strength, balance and hormonal profile (Cardinale y Bosco, 2003; Kvorning et al., 2006).

The WBV methodology needs to define the characteristics of the vibration, so, it is necessary to define the frequency, amplitude, duration and magnitude used (Luo, McNamara and Moran, 2005). The frequencies used for these exercises ranging from 15 to 44 Hz, while the amplitudes between 3 to 10 mm. The acceleration values ranging from 3.5 to 15•g. With regard to the duration, short exposures, for example 4 to 5 min divided into sets of 1 min with the same rest period between series, are enough to improve muscle strength (Rittweger et al., 2000). With the increments in the length of vibration, the fatigue can appear faster and become more important. Longer exposures with this device may trigger the inhibitory feedback (e.g. Golgi complex) or reduce the sensitivity of muscle spindles. In general, people are using intermittent programs for no more than 30 min.

In this way the aim of the study is to know the acute and residual effect (after 30 min) of one bout with WBV on the explosive strength assessed by jump test such as counter movement jump (CMJ) and Squat jump (SJ).

## Material and methods

### Subjects

Ten subjects (22.6 ± 5.2 years) participating in recreational physical activity were involved in this study. They all signed informed consent and the protocol was approved by the ethics committee of the University of Seville. The descriptive data of the sample can be seen in

Table 1. Exclusion criteria include the existence of cardiovascular, respiratory, abdominal, urinary, musculoskeletal or chronic diseases, as well as the presence of prostheses. Participants taking any medication that could affect the musculoskeletal system were also excluded.

### Procedures

All subjects in the study were invited to three pre-test sessions. The data were correlated in order to obtain the reliability of the ( $r > 0.85$ ) and we take the third pre-test as baseline. After each intervention one post-test was carried out, analyzing the same parameters in order to identify possible variations between both test. The assessment it was performed just after the vibration and after 30 min in order to determine the residual effect. With regard to the protocol it was used the Galileo Fitness® platform (Novotech, Germany), with a frequency of 30 Hz and an amplitude of 2 mm. The gravity obtained was 9.1•g. The subject remained standing on the platform adopting an isometric position with 110 degrees flexion on the knees. The du-

### Statistical Analysis

All data were typed on a database and then analyzed using SPSS 15.0 for Windows. Normality of data was initially tested using the Kolgomorov–Smirnov test. Pearson correlation coefficients were used to assess the linear relationship between outcomes. Paired t tests were used to compare the outcome variables at baseline assessments. Results are expressed as means ± standard deviation or 95% confidence interval and for all tests the significance level was set at  $P < 0.05$ .

## Results

All subjects completed the study without any side effect nor any adverse reactions or fatigue after the vibration. Most of the subjects reported that WBV mainly stimulated their lower limbs. With regard to the test after the vibration, the immediate post-test data showed an acute increment in both jump tests (SJ = +1.85 ± 3.85 cm; CMJ = +1.22 ± 3.35 cm). However, there were not significant differences (Table 1).

Paired analysis	N	Mean	SD	Mean difference	SD	Sig
Pair 1	HSJpre3 (cm)	10	26.21	4.11	+1.85	3.85
	HSJpostAG1 (cm)	10	28.06	4.23		
Pair 2	HCMJpre3 (cm)	10	34.12	5.26	+1.22	3.35
	HCMJpostAG1 (cm)	10	35.34	5.08		

TABLE 1: COMPARISON BETWEEN THE DATA OBTAINED FROM THE JUMP'S ACUTE EFFECT AFTER THE TEST

ration of vibration used for this study was 5 sets of 60 s with another 60 s rest between series.

Every subject performed three CMJ and another three SJ in accordance with the protocol proposed by Cronin & Maclean (2000). Each jump was recorded with precision of 0.1 cm. The rest time was 30 s between two consecutive jumps. If the difference between jump's height was more than 5% another attempt was done. The best of the three attempts was recorded. All the jumps were performed on a Ergo Tester® contact platform (Globus, Italy).

HSJpre3: Jump height in SJ from pre-test; HSJpostAG1: Jump height in SJ just after the test; HCMJpre3: Jump height in CMJ from pre-test; HCMJpostAG1: Jump height in CMJ just after the test.

Regarding the residual effect, the improvement obtained remains in SJ, although below the post-test's values (+0.51 ± 4.37 cm). CMJ results drop below the pre-test's values (-0.15 ± 2.36 cm) (Table 2).

HSJpre3: Jump height in SJ from pre-test; HSJpost301: Jump height in SJ 30 min after the test;



Paired analysis	N	Mean	SD	Mean Difference	SD	Sig
Pair 1						
HSJpre3 (cm)	10	26.21	4.11			
HSJpost301 (cm)	10	26.72	4.34	+0.51	4.37	0.74
Pair 2						
HCMJpre3 (cm)	10	34.12	5.26			
HCMJpost301 (cm)	10	33.97	4.91	-0.15	2.36	0.84

**TABLE 2: COMPARISON OF THE DATA OBTAINED FROM THE RESIDUAL EFFECT AFTER THE JUMP WITH THE PRE-TEST**

HCMJpre3: Jump height with CMJ in pre-test; HCMJpost301: Jump height with CMJ 30 min after the test.

## Discussion

SJ and CMJ are often used as an index of the explosive strength in the lower limb (Keogh, Weber and Dalton, 2003). Although our results showed a lack of significant effect, we found increments in both test (7.05% and 3.57% in SJ and CMJ height, respectively). Those results are in the line of other previously published (Torvinen et al., 2002a; De Silva et al., 2006; Martínez et al., 2007). Moreover, Cardinale y Lim (2003) studied the effect of WBV on SJ and CMJ jumps in 15 young people participating in recreational

sports who underwent a protocol with a 4 mm amplitude and 40 Hz. Data from post-test were lower than those obtained in the pre-test. While the decline observed in SJ was not statistically significant (-4%,  $p = 0.07$ ) the one in CMJ it was (-3.8%,  $p < 0.001$ ).

It seems therefore, that when the vibration does not produce fatigue and is of short duration it can produce an increase of nervous system signals and facilitate the strength generation (Cardinale and Bosco, 2003). On the other side, when we apply a stressful stimulus it can cause fatigue and then reduce the strength generation. The results suggest that when the frequency is 30 Hz we need a greater amplitude in order to get acute significant improvements in jump ability, whereas when the fre-

quency in greater, it is necessary to use a lower amplitude in order to avoid muscle fatigue.

Regarding the residual effect, some authors suggest that the vibration effect seems to be transitional on the muscle performance (Torvinen et al., 2002ab). These authors found in their studies that the higher increments founds 2 min after the CMJ were not present 60 min after them (Torvinen et al., 2002ab). In our case, the residual effect was measured at 30 min, showing an increment for SJ (1.94%) with regard to the pre-test, although just 6.74% was found in the immediate post-test. The CMJ drop below the pre-test level (-0.44%). Similar results were observed by several authors (Torvinen et al., 2002ab; Cormie et al., 2006)

Showed results let us to go further in the study of WBV. In this way, we have seen when the frequency is not high the amplitude have to be increased in order to improve the explosive strength. In this way, the improvements found were not maintained after 30 min, so it can be said that the WBV effect is just transitory.

## Literatura

- CARDINALE, M. Y BOSCO, C. (2003). *The use of vibration as an exercise intervention. Exerc Sports Sci Rev*, 31, 3-7.
- CARDINALE, M. Y LIM, J. (2003). *The acute effects of two different whole body vibration frequencies on vertical jump performance. Med Sports*, 56, 287-92.
- CORMIE, P., RUSSELL, S., DEANE, N., TRIPLETT, T. Y MCBRIDE, J.M. (2006). *Acute effects of whole-body vibration on muscle activity, strength and power. Journal of Strength and Conditioning Research*, 20(2), 257-261.
- DA SILVA, M.E., VAAMONDE, D.M. Y PADULLÉS, J.M. (2006). *Entrenamiento con vibraciones mecánicas y salud: efectos sobre los sistemas óseo, endocrino y cardiovascular. Apunts Educación Física y Deportes*, 84, 48-57.
- KEOGH, J.W.L., WEBER, C.L. Y DALTON, C.T. (2003). *Evaluation of anthropometric, physiological, and skill-related tests for talent identification in female field hockey. Can J Appl Phys*, 28(3), 397-409.
- KVORNING, T., BAGGER, M., CASEROTTI, P. Y MADSEN, K. (2006). *Effects of vibration and resistance training on neuromuscular and hormonal measures. Eur J Appl Physiol*, 96, 615-625.
- LUO, J, MCNAMARA, B Y MORAN, K (2005). *The use of vibration training to enhance muscle strength and power. Sports Med.*, 35 (1), 23 - 41.
- MARTÍNEZ, E, CARRASCO, L, ALCARAZ, PE, BRUNETA Y NADAL, C. (2007). *Efectos agudos de las vibraciones mecánicas sobre el salto vertical. Apunts Educación Física y Deportes*, 87, 81-85.
- RITTWEGGER, J., BELLER, G., Y FELSENBERG, D. (2000). *Acute physiological effects of exhaustive whole-body vibration exercise in man. Clin. Physiol.*, 20, 134-142.
- TORVINEN, S., SIEVANEN, H., JARVINEN, T.A., ET AL. (2002a). *Effect of 4-min vertical whole body vibration on muscle performance and body balance. A Randomized Cross-over Study. Int. J. Sports Med.*, 23, 374-379.
- TORVINEN, S., KANNUS, P., SIEVANEN, H., JARVINEN, T.A.H., PASANEN, M., KONTULAINEN, S., JARVINEN, M., ET AL. (2002b). *Effect of a vibration exposure on muscular performance and body balance. Randomised cross-over study. Clin. Physiol. & Func. Im.*, 22, 145-152.